Journal of Applied Polymer Science

Author Index—Volume 76

Abd El-Rehim, H. A.
—; Hegazy, E. A.; Ali, A. M.: Selective Separation of Some Heavy Metals by Poly(vinyl alcohol)-Grafted Membranes, 125
Adhikari, R. See Gunatillake, P. A., 2026
Adler, H. See Voronov, S., 1228
Agarwal, R.
—; Bell, J. P.: Coating Formation by Spontaneous Polymerization on Aluminum: Various Monomers, 875
Aglietto, M. See Alessandrini, G., 962
Agrawal, R.
—; Saxena, N. S.; Mathew, G.; Thomas, S.; Sharma, K. B.: Effective Thermal Conductivity of Three-Phase Styrene Butadiene Composites, 1799
Ahmad, M. See Rahman, L., 516
Aikawa, S.
—; Tasaka, S.; Zhang, X.; Inagaki, N.: Surface Photocrosslinking of Ethylene–Vinyl Acetate Copolymer Films, 1741
Aizinson, I. L. See Novotortzeva, T. N., 807
Aizpurua, B.
—; Franco, M.; Corcuera, M. A.; Riccardi, C. C.; Mondragon, I.: Chemorheology and Ultimate Behavior of Epoxy-Amine Mixtures Modified with a Liquid Oligomer, 1269
Akar, A. See Kizilcan, N., 648
Akopova, T. A. See Rogovina, S. Z., 616
Alberola, N. D. See Colombini, D., 530
Albertsson, A.-C. See Hakkarainen, M., 228
Alentiev, A. Yu. See Yampolskii, Yu. P., 1691
Alessandrini, G.
—; Aglietto, M.; Castelvetro, V.; Ciardelli, F.; Peruzzi, R.; Toniolo, L.: Comparative Evaluation of Fluorinated and Unfluorinated Acrylic Copolymers as Water-Repellent Coating Materials for Stone, 962
Ali, A. M. See Abd El-Rehim, H. A., 125
Alince, B.
—; Arnoldova, P.; Frolik, R.: Cationic Latex: Colloidal Behavior and Interaction with Anionic Pulp Fibers, 1677
Allan, J. M.
—; Dooley, R. L.; Shalaby, S. W.: Controlled Gas-Phase Sulfonation of Low-Density Polyethylene Films, 1865
—; Dooley, R. L.; Shalaby, S. W.: Surface Phosphonylation of Low-Density Polyethylene, 1870
Al Sagheer, F. A.
—; El-Sawy, N. M.: Investigation of Radiation-Grafted and Radiation-Modified *N*-Vinyl-2-pyrrolidone onto Polypropylene Film, 282
Andreeva, M. B. See Novotortzeva, T. N., 807
Apostolov, A. A.
—; Boneva, D.; Vassileva, E.; Mark, J. E.; Fakirov, S.: Mechanical Properties of Native and Crosslinked Gelatins in a Bending Deformation, 2041
Arai, K. See Smith, R. L., Jr., 1062
Arica, M. Y. See Denizli, A., 115
Arnoldova, P. See Alince, B., 1677
Ashokan, P. V. See Rao, V., 859
Atanassov, Vl. See Troev, K., 886
Atar, M. See Örs, Y., 1472
Averous, L.
—; Fauconnier, N.; Moro, L.; Fringant, C.: Blends of Thermoplastic Starch and Polyesteramide: Processing and Properties, 1117
Baer, E. See Flandin, L., 894
Bahadur, S. See Yu, L., 179
Bajpai, M. See Dengre, R., 1706
Bajpai, S. K. See Dengre, R., 1706
Balakrishnan, T.
—; Kumar, S. D.: Phase-Transfer Catalysis: Free-Radical Polymerization of Acrylonitrile using Potassium Peroxomonosulphate–Tetrabutyl Phosphonium Chloride Catalyst System: A Kinetic Study, 1564
—; Murugan, E.: Synthesis and Spectral Characterization of Surface-Enriched Polymer-Supported Phase Transfer Catalysts and Their Effects on Alkylation of Phenylacetone, 408
Banerjee, A. N. See Saha, N., 1489
Bánhegyi, G. See Petrović, Z. S., 133
Banik, I.
—; Bhowmick, A. K.: Electron Beam Modification of *Filled* Fluorocarbon Rubber, 2016
Bannerjee, A. N. See Rana, A. K., 684
Bartczak, Z.
—; Galeski, A.; Pluta, M.: Ternary Blends of High-Density Polyethylene-polystyrene-poly(ethylene/butylene-*b*-styrene) Copolymers: Properties and Orientation Behavior in Plane–Strain Compression, 1746
Basak, R. K. See Das, S., 1652
Bastian, M. See Potente, H., 708
Bednarska, O. See Voronov, S., 1228
Bell, J. P. See Agarwal, R., 875; Vaideeswaran, K., 1338
Bénard, A. See Kaiser, E. J., 1516
Bennett, D. C. See Ni, X., 1669
Benrashid, R. See Najafi-Mohajeri, N., 1847
Berge, A. See Nyhus, A. K., 152

Journal of Applied Polymer Science

Author Index—Volume 76

Abd El-Rehim, H. A.
—; Hegazy, E. A.; Ali, A. M.: Selective Separation of Some Heavy Metals by Poly(vinyl alcohol)-Grafted Membranes, 125
Adhikari, R. See Gunatillake, P. A., 2026
Adler, H. See Voronov, S., 1228
Agarwal, R.
—; Bell, J. P.: Coating Formation by Spontaneous Polymerization on Aluminum: Various Monomers, 875
Aglietto, M. See Alessandrini, G., 962
Agrawal, R.
—; Saxena, N. S.; Mathew, G.; Thomas, S.; Sharma, K. B.: Effective Thermal Conductivity of Three-Phase Styrene Butadiene Composites, 1799
Ahmad, M. See Rahman, L., 516
Aikawa, S.
—; Tasaka, S.; Zhang, X.; Inagaki, N.: Surface Photocrosslinking of Ethylene–Vinyl Acetate Copolymer Films, 1741
Aizinson, I. L. See Novotortzeva, T. N., 807
Aizpurua, B.
—; Franco, M.; Corcuera, M. A.; Riccardi, C. C.; Mondragon, I.: Chemorheology and Ultimate Behavior of Epoxy-Amine Mixtures Modified with a Liquid Oligomer, 1269
Akar, A. See Kizilcan, N., 648
Akopova, T. A. See Rogovina, S. Z., 616
Alberola, N. D. See Colombini, D., 530
Albertsson, A.-C. See Hakkarainen, M., 228
Alentiev, A. Yu. See Yampolskii, Yu. P., 1691
Alessandrini, G.
—; Aglietto, M.; Castelvetro, V.; Ciardelli, F.; Peruzzi, R.; Toniolo, L.: Comparative Evaluation of Fluorinated and Unfluorinated Acrylic Copolymers as Water-Repellent Coating Materials for Stone, 962
Ali, A. M. See Abd El-Rehim, H. A., 125
Alince, B.
—; Arnoldova, P.; Frolik, R.: Cationic Latex: Colloidal Behavior and Interaction with Anionic Pulp Fibers, 1677
Allan, J. M.
—; Dooley, R. L.; Shalaby, S. W.: Controlled Gas-Phase Sulfonation of Low-Density Polyethylene Films, 1865
—; Dooley, R. L.; Shalaby, S. W.: Surface Phosphonylation of Low-Density Polyethylene, 1870
Al Sagheer, F. A.
—; El-Sawy, N. M.: Investigation of Radiation-Grafted and Radiation-Modified *N*-Vinyl-2-pyrrolidone onto Polypropylene Film, 282
Andreeva, M. B. See Novotortzeva, T. N., 807
Apostolov, A. A.
—; Boneva, D.; Vassileva, E.; Mark, J. E.; Fakirov, S.: Mechanical Properties of Native and Crosslinked Gelatins in a Bending Deformation, 2041
Arai, K. See Smith, R. L., Jr., 1062
Arica, M. Y. See Denizli, A., 115
Arnoldova, P. See Alince, B., 1677
Ashokan, P. V. See Rao, V., 859
Atanassov, Vl. See Troev, K., 886
Atar, M. See Örs, Y., 1472
Averous, L.
—; Fauconnier, N.; Moro, L.; Fringant, C.: Blends of Thermoplastic Starch and Polyesteramide: Processing and Properties, 1117
Baer, E. See Flandin, L., 894
Bahadur, S. See Yu, L., 179
Bajpai, M. See Dengre, R., 1706
Bajpai, S. K. See Dengre, R., 1706
Balakrishnan, T.
—; Kumar, S. D.: Phase-Transfer Catalysis: Free-Radical Polymerization of Acrylonitrile using Potassium Peroxomonosulphate–Tetrabutyl Phosphonium Chloride Catalyst System: A Kinetic Study, 1564
—; Murugan, E.: Synthesis and Spectral Characterization of Surface-Enriched Polymer-Supported Phase Transfer Catalysts and Their Effects on Alkylation of Phenylacetone, 408
Banerjee, A. N. See Saha, N., 1489
Bánhegyi, G. See Petrović, Z. S., 133
Banik, I.
—; Bhowmick, A. K.: Electron Beam Modification of *Filled* Fluorocarbon Rubber, 2016
Bannerjee, A. N. See Rana, A. K., 684
Bartczak, Z.
—; Galeski, A.; Pluta, M.: Ternary Blends of High-Density Polyethylene-polystyrene-poly(ethylene/butylene-*b*-styrene) Copolymers: Properties and Orientation Behavior in Plane–Strain Compression, 1746
Basak, R. K. See Das, S., 1652
Bastian, M. See Potente, H., 708
Bednarska, O. See Voronov, S., 1228
Bell, J. P. See Agarwal, R., 875; Vaideeswaran, K., 1338
Bénard, A. See Kaiser, E. J., 1516
Bennett, D. C. See Ni, X., 1669
Benrashid, R. See Najafi-Mohajeri, N., 1847
Berge, A. See Nyhus, A. K., 152

Bessaha, N. See Vallat, M. F., 665
Bhaskar Rao, M. See Deshpande, A. P., 83
Bhat, N. V.
—; Wavhal, D. S.: Preparation of Cellulose Triacetate Pervaporation Membrane by Ammonia Plasma Treatment, 258
Bhatt, S. See Extrand, C. W., 1777
Bhowmick, A. K. See Banik, I., 2016
Bian, D.-C. See Sheng, J., 488
Boey, F. Y. C.
—; Qiang, W.: Determining the Gel Point of an Epoxy–Hexaanhydro-4-methylphthalic Anhydride (MHHPA) System, 1248
Boneva, D. See Apostolov, A. A., 2041
Bouknight, J. M.
—; Depalma, Jr., P. A.; Cobb, G. P.; Shalaby, S. W.: Preparation and Characterization of a Phosphonylated Polypropylene Ion Exchanger, 93
Boutevin, B. See Legay, R., 1876
Boyd, J. T. See Cintavey, L. A., 1448
Brill, R. P.
—; Palmese, G. R.: An Investigation of Vinyl–Ester—Styrene Bulk Copolymerization Cure Kinetics Using Fourier Transform Infrared Spectroscopy, 1572
Buch, X.
—; Shanahan, M. E. R.: Influence of the Gaseous Environment on the Thermal Degradation of a Structural Epoxy Adhesive, 987
Bukowski, W. See Lubczak, J., 824
Burns, D. See Jian, Z., 1422
Byun, I. S.
—; Kim, I. C.; Seo, J. W.: Pervaporation Behavior of Asymmetric Sulfonated Polysulfones and Sulfonated Poly(ether sulfone) Membranes, 787

Casiraghi, A. See Cilurzo, F., 1662
Castelvetro, V. See Alessandrini, G., 962
Chakrabarti, A. See Jian, Z., 1422
Chan, C.-M. See Wu, J., 1000
Chang, A. See Flandin, L., 894
Chang, C. F. See Liau, W. B., 1627
Chao, C.-C. See Yeh, J.-T., 1997
Chappelow, C. C.
—; Pinzino, C. S.; Jeang, L.; Harris, C. D.; Holder, A. J.; Eick, J. D.: Photoreactivity of Expanding Monomers and Epoxy-Based Matrix Resin Systems, 1715
Chen, C.-H. See Yeh, J.-T., 1997
Chen, C.-Y. See Lin, C. B., 1902
Chen, D.
—; Liu, X.; Yang, X.; Lu, L.; Wang, X.: Grid Search as Applied to the Determination of Mark–Houwink Parameters, 481
—; See Chen, H., 2049
Chen, D.-T. See Lu, K., 1549
Chen, G.
—; Liu, J.: Effect of Compatibilization on the Properties of HIPS/PA1010 Blends, 799
Chen, H.
—; Chen, D.; Fan, Q.; Yu, X.: Synthesis and Properties of Polyurethane Ionomers Based on Carboxylated Polycaprolactone, 2049
Chen, H.-L.
—; Yokochi, A.: X-Ray Diffractometric Study of Microcrystallite Size of Naturally Colored Cottons, 1466
Chen, J.-K. See Hsiue, G.-H., 1609
Chen, S.-D. See Hsu, K.-C., 1762
Chen, W. C.
—; Wang, W. J.: Analysis of Thermosetting Acrylic Polymer Light Conduits, 2098
Chen, Y. See Meng, L., 1457
Chen, Z.
—; Zhang, R.; Kodama, M.; Nakaya, T.: Anticoagulant Surface Prepared by the Heparinization of Ionic Polyurethane Film, 382
Cheng, Y.-L. See Peng, T., 778
Cheung, H. M.
—; Gaddam, K.: Ultrasound-Assisted Emulsion Polymerization of Methyl Methacrylate and Styrene, 101
Cheung, S. W. See Liang, J.-Z., 419
Chhabra, R. P. See Dhotkar, B. N., 1171
Chisholm, B. J.
—; Zimmer, J. G.: Isothermal Crystallization Kinetics of Commercially Important Polyalkylene Terephthalates, 1296
Chmiel-Szukiewicz, E. See Kucharski, M., 439
Cho, D.
—; Drzal, L. T.: Characterization, Properties, and Processing of LaRC™ PETI-5 as a High-Temperature Sizing Material: Part I. FTIR Studies on Imidization and Phenylethynyl End-Group Reaction Behavior, 190
Cho, W.-J. See Ha, C.-S., 1048
Choe, S. See Rana, D., 1950
Choi, H.-J. See Lee, D.-H., 249
Choi, J. O. See Hong, J. W., 1804
Choi, S. C. See Chun, T. I., 1207
Choudhury, P. K. See Das, S., 1652
Chowdhury, G. See Rhim, J.-W., 735
Christainsen, A. W. See Hassan, M. L., 561, 575
Chu, J. See Lu, J., 311
Chun, T. I.
—; Choi, S. C.; Täschner, C.; Leonhardt, A.; Kaufmann, R.; Rehwinkel, C.; Rossbach, V.: Surface Modification of Polytetrafluoroethylene with Tetraethoxysilane by Using Remote Argon/Dinitrogen Oxide Microwave Plasma, 1207
Chung, T.-S. See Zhu, G., 695
Ciardelli, F. See Alessandrini, G., 962
Cilurzo, F.
—; Minghetti, P.; Casiraghi, A.; Montanari, L.: Evaluation of Compatibility of Methacrylic Copolymers by Capillary Viscometry, 1662
Cintavey, L. A.
—; Clarson, S. J.; Husband, D. M.; De Brabander, G. N.; Boyd, J. T.: Fabrication and Characterization of Planar and Channel Polymer Waveguides. II. Poly(*p*-phenylene

benzobisthiazole) (PBZT) Films, 1448
Clarson, S. J. See Cintavey, L. A., 1448
Cobb, G. P. See Bouknight, J. M., 93
Colombini, D.
—; Merle, G.; Alberola, N. D.: Evidence for Mechanical Coupling Effects in Binary Polymer Blends: Relationships with Morphology, 530
Combette, C. See Vallat, M. F., 665
Cong, G. See Gu, Y., 690
Contat Rodrigo, L. See Flaqué, C., 326
Cooray, B. See De Wet-Roos, D., 368
Corcuera, M. A. See Aizpurua, B., 1269
Cordoví, C. M.
—; De Lucas, A.; Durán, A.; Rodríguez, J. F.: Development of a Suspension Copolymerization Process for Bone Cement Production, 814
Cotten, H. See Duret, N., 320
Cser, F. See Kukaleva, N., 1011

Da Costa, H. M.
—; Visconte, L. L. Y.; Nunes, R. C. R.; Furtado, C. R. G.: The Effect of Coupling Agent and Chemical Treatment on Rice Husk Ash-Filled Natural Rubber Composites, 1019
Dadsetan, M.
—; Mirzadeh, H.; Sharifi-Sanjani, N.: Surface Modification of Polyethylene Terephthalate Film by CO_2 Laser-Induced Graft Copolymerization of Acrylamide, 401
Dai, G. See Zhou, X., 1359
Dalev, P. G. See Patil, R. D., 29
Das, C. K. See Khatua, B. B., 1367
Das, S.
—; Saha, A. K.; Choudhury, P. K.; Basak, R. K.; Mitra, B. C.; Todd, T.; Lang, S.; Rowell, R. M.: Effect of Steam Pretreatment of Jute Fiber on Dimensional Stability of Jute Composite, 1652
Datsyuk, V. See Voronov, S., 1228
Datta, C. See Saha, N., 1489
De Brabander, G. N. See Cintavey, L. A., 1448
De Castellar, M. D. See Manich, A. M., 2062
Del Río, M. See Harismendy, I., 1037
De Lucas, A. See Cordoví, C. M., 814
Demarquette, N. R. See Shimizu, R. N., 1831
Dengre, R.
—; Bajpai, M.; Bajpai, S. K.: Release of Vitamin B_{12} from Poly(*N*-vinyl-2-pyrrolidone)-Crosslinked Polyacrylamide Hydrogels: A Kinetic Study, 1706
Denizli, A.
—; Yavuz, H.; Garipcan, B.; Arica, M. Y.: Nonporous Monosize Polymeric Sorbents: Dye and Metal Chelate Affinity Separation of Lysozyme, 115
Denkbaş, E. B.
—; Odabaşi, M.: Chitosan Microspheres and Sponges: Preparation and Characterization, 1637
Depalma, Jr., P. A. See Bouknight, J. M., 93
Deshpande, A. P.
—; Bhaskar Rao, M.; Lakshmana Rao, C.: Extraction of Bamboo Fibers and Their Use as Reinforcement in Polymeric Composites, 83
De Souza, D. A. See Silva, G. G., 1197
De Wet-Roos, D.
—; Knoetze, J. H.; Cooray, B.; Sanderson, R. D.: Emulsion Polymerization of an Epoxy–Acrylate Emulsion Stabilized with Polyacrylate. II. Using the Results of Statistically Designed Experiments to Deduce a Possible Polymerization Mechanism, 368
Dhamodharan, R. See Nisha, A., 1825
Dhotkar, B. N.
—; Chhabra, R. P.; Eswaran, V.: Flow of Non-Newtonian Polymeric Solutions Through Fibrous Media, 1171
Döll, W. See Höfflin, F., 623
Dong, H. See Gooch, J. W., 105
Dong, Y.
—; Yuan, Q.; Wu, Y.; Wang, M.: Studies on the Effect of Substitution Degree on the Liquid Crystalline Behavior of Cyanoethyl Chitosan, 2057
Dooley, R. L. See Allan, J. M., 1865, 1870
Dos Santos, J. H. Z. See Haag, M. C., 425
Douglas, P. See Geddes, C. D., 603
Drzal, L. T. See Cho, D., 190
Du, C. See Meng, L., 1457
Du, F.-S. See Li, F.-M., 19
Du, X. See Zhao, X., 1141
Dufresne, A.
—; Dupeyre, D.; Vignon, M. R.: Cellulose Microfibrils from Potato Tuber Cells: Processing and Characterization of Starch–Cellulose Microfibril Composites, 2080
Dupeyre, D. See Dufresne, A., 2080
DuPont, J. See Haag, M. C., 425
Durán, A. See Cordoví, C. M., 814
Duret, N.
—; Cotten, H.; Lacabanne, C.: Thermostimulated Current Characterization of Poly(ethersulfone), 320
Dyakonov, T. See Jian, Z., 1422

Eceiza, A. See Harismendy, I., 1037
Eguchi, Y. See Kubota, N., 12
Eick, J. D. See Chappelow, C. C., 1715
El-Sawy, N. M. See Al Sagheer, F. A., 282
Erdoğan, M. See Pekcan, Ö., 1494
Eswaran, V. See Dhotkar, B. N., 1171
Extrand, C. W.
—; Bhatt, S.: The Mechanical Properties of Insert-Molded Bimaterial Composites: Series and Parallel Geometries, 1777

Fadl, N. A. See Hassan, M. L. 561, 575
Faizalla, A. See Moustafa, A. B., 594
Fakirov, S. See Apostolov, A. A., 2041; Patil, R. D., 29
Fan, Q. See Chen, H., 2049
Fang, D. P. See Zhao, F., 1683

Fang, L.
—; Goh, S. H.: Miscible Chitosan/Tertiary Amide Polymer Blends, 1785
Fang, Z. See Smith, R. L., Jr., 1062
Fauconnier, N. See Averous, L., 1117
Fekete, E. See Foldes, E., 1529
Feng, C.-Y. See Lin, C. B., 1902
Feng, L. X. See Wang, L., 1583
Feng, S. See Xu, C., 1554
Fevotte, G.
—; McKenna, T. F.: Reconstruction of Histograms of the Glass Transition Temperature of Free Radical Copolymers from DSC Thermograms, 357
Filippova, V. G. See Khotimsky, V. S., 1920
Flandin, L.
—; Chang, A.; Nazarenko, S.; Hiltner, A.; Baer, E.: Effect of Strain on the Properties of an Ethylene–Octene Elastomer with Conductive Carbon Fillers, 894
Flaqué, C.
—; Contat Rodrigo, L.; Ribes-Greus, A.: Biodegradation Studies of Cellulose and Its Vinylic Graft Copolymers by Thermal Analysis and Mechanical Spectroscopy, 326
Foldes, E.
—; Toth, A.; Kalman, E.; Fekete, E.; Tomasovsky-Bobak, A.: Surface Changes of Corona Discharge Treated Polyethylene Films, 1529
Foo, O. M. See Nasef, M. M., 1
Franco, M. See Aizpurua, B., 1269
Fringant, C. See Averous, L., 1117
Frolik, R. See Alince, B., 1677
Fukuda, W. See Iijima, T., 208
Funae, Y. See Matsuda, T., 45, 50
Furtado, C. R. G. See Da Costa, H. M., 1019

Gaddam, K. See Cheung, H. M., 101
Galeski, A. See Bartczak, Z., 1746
Gámez, C. M. See Harismendy, I., 1037
Gamstedt, E. K.
—; Effects of Debonding and Fiber Strength Distribution on Fatigue-Damage Propagation in Carbon Fiber–Reinforced Epoxy, 457
Gao, J.
—; Liu, Y.: Curing Behavior and Thermal Property of Epoxy Resin with Boron-Containing Phenol-formaldehyde Resin, 1054
—; See Liu, Y.-G., 290; Sui, Y., 1619
Gao, Q.-Y. See Li, F.-M., 19
Gao, S. See Xiao, C., 509
Garipcan, B. See Denizli, A., 115
Gavalda, J. See Harismendy, I., 1037
Ge, C. X. See Wang, L., 1583
Geddes, C. D.
—; Douglas, P.: Fluorescent Dyes Bound to Hydrophilic Copolymers: Applications in Aqueous Halide Sensing, 603
Gehring, A. See Potente, H., 708
George, K. E. See Srilathakutty, R., 277
Geramita, K. See Parent, J. S., 1308
German, A. L. See Slawinski, M., 1186
Getmanchuk, I. P. See Shumsky, V. F., 993
Gibeau, T. E.
—; Marcus, R. K.: Characterization of Bis-(phenoxy)phosphazene Polymers Using Radio Frequency Glow Discharge Mass Spectrometry, 954
Goh, S. H. See Fang, L., 1785
Gonzalez-de Los Santos, E. A. See Lozano-González, Ma. J., 851
Gooch, J. W.
—; Dong, H.; Schork, F. J.: Waterborne Oil-Modified Polyurethane Coatings via Hybrid Miniemulsion Polymerization, 105
Gopalan, A. See Vivekanandam, T. S., 524
Gopalaratnam, V. S. See Zhang, C., 1985
Gorbacheva, I. N. See Rogovina, S. Z., 616
Gordon, S. H.
—; Imam, S. H.; Shogren, R. L.; Govind, N. S.; Greene, R. V.: A Semiempirical Model for Predicting Biodegradation Profiles of Individual Polymers in Starch-Poly-(β-hydroxybutyrate-*co*-β-hydroxyvalerate) Bioplastic, 1767
Govind, N. S. See Gordon, S. H., 1767
Greene, R. V. See Gordon, S. H., 1767
Grey, B. D. See Ni, X., 1669
Gu, Y.
—; Huang, Y.; Liao, B.; Cong, G.; Xu, M.: Studies on the Characterization of Phase Inversion During Emulsification Process and the Particle Sizes of Water-Borne Microemulsion of Poly(phenylene oxide) Ionomer, 690
Guan, R.
—; Structure and Morphology of Isotactic Polypropylene Functionalized by Electron Beam Irradiation, 75
Gumargalieva, K. Z. See Novotortzeva, T. N., 807
Gunatillake, P. A.
—; Meijs, G. F.; McCarthy, S. J.; Adhikari, R.: Poly(dimethylsiloxane)/Poly-(hexamethylene oxide) Mixed Macrodiol Based Polyurethane Elastomers. I. Synthesis and Properties, 2026
Guo, D. See Tang, J., 1857
Guo, L. See Shi, G., 185; Wu, S., 1510
Guo, W. See Zhou, X., 1359
Guo, X. See Jian, Z., 1422
Guo, X.-X. See Sui, Y., 1619
Gupta, K. C.
—; Ravi Kumar, M. N. V.: Semi-Interpenetrating Polymer Network Beads of Crosslinked Chitosan–Glycine for Controlled Release of Chlorphenramine Maleate, 672
—; Sahoo, S.: Grafting of N,-N′-Methylenebisacrylamide onto Cellulose Using Co(III)-Acetylacetonate Complex in Aqueous Medium, 906

Ha, C.-S.
—; Park, H.-D.; Cho, W.-J.: Compatibilizers for Recycling of the Plastic Mixture Wastes.

II. The Effect of a Compatibilizer for Binary Blends on the Properties of Ternary Blends, 1048
Haag, M. C.
—; Dos Santos, J. H. Z.; DuPont, J.; Secchi, A. R.: Dynamic Simulation and Experimental Evaluation of EPDM Synthesis with $Et(Ind)_2ZrCl_2$/MAO Catalyst System, 425
Hagen, S. See Nyhus, A. K., 152
Hajipour, A.-R. See Mallakpour, S. E., 240
Hakkarainen, M.
—; Karlsson, S.; Albertsson, A.-C.: Influence of Low Molecular Weight Lactic Acid Derivatives on Degradability of Polylactide, 228
Han, H. See Seo, J., 1315
Han, H. S.
—; Tan, K. L.; Kang, E. T.: Fluorination of Epoxy Surfaces by a Physical Method, 296
Hänggi, U. J. See Iordanskii, A. L., 475
Harismendy, I.
—; Del Río, M.; Eceiza, A.; Gavalda, J.; Gámez, C. M.; Mondragon, I.: Morphology and Thermal Behavior of Dicyanate Ester-Polyetherimide Semi-IPNS Cured at Different Conditions, 1037
Haron, J. See Rahman, L., 516
Harris, C. D. See Chappelow, C. C., 1715
Harrup, M. K. See Stewart, F. F., 55
Hassan, C. M.
—; Peppas, N. A.: Cellular PVA Hydrogels Produced by Freeze/Thawing, 2075
Hassan, M. L.
—; Rowell, R. M.; Fadl, N. A.; Yacoub, S. F.; Christainsen, A. W.: Thermoplasticization of Bagasse I. Preparation and Characterization of Esterified Bagasse Fibers, 561
—; Rowell, R. M.; Fadl, N. A.; Yacoub, S. F.; Christainsen, A. W.: Thermoplasticization of Bagasse II. Dimensional Stability and Mechanical Properties of Esterified Bagasse Composite, 575
Hayes, B. S.
—; Seferis, J. C.: Effects of *In-Situ* Esterification on the Performance of Carboxyl Functionalized Rubber-Modified Epoxy Film Adhesives, 728
Hegazy, E. A. See Abd El-Rehim, H. A., 125
Higashiura, S. See Shimizu, T., 350
Hikichi, K. See Wakabayashi, K., 1351
Hiljanen-Vainio, M. See Kylmä, J., 1074
Hiltner, A. See Flandin, L., 894
Höfflin, F.
—; Könczöl, L.; Döll, W.; Morawiec, J.; Mülhaupt, R.: Toughening of Epoxy Resins Modified with Polyetherester Block Copolymers: The Influence of Modifier Molecular Architecture on Mechanical Properties, 623
Holder, A. J. See Chappelow, C. C., 1715
Holler, P. See Lokaj, J., 1093
Hong, J. W.
—; Kim, H. K.; Choi, J. O.: Dielectric Characterization of Relaxation and Curing Behavior of Oriental Lacquer, 1804
Hong, K. C.
—; Ravasi, M.; Keil, N.; Vigeant, B.; Ma, Y.: Effect of Organic Acids on the Mechanical Properties of Phenolic Resin Composites, 642
Hong, S.-I. See Kim, H.-J., 391
Horanont, P. See Premphet, K., 1929
Hoshi, M.
—; Ieshige, M.; Saitoh, T.; Nakagawa, T.: Separation of Aqueous Phenol through Polyurethane Membranes by Pervaporation. III. Effect of the Methylene Group Length in Poly(alkylene glycols), 654
Hourston, D. J.
—; Song, M.: Quantitative Characterization of Interfaces in Rubber–Rubber Blends by Means of Modulated-Temperature DSC, 1791
—; See Silva, G. G., 1197
Hsiue, G.-H.
—; Liu, Y.-L.; Chen, J.-K.: Synthesis and Characterization of Nanocomposite of Polyimide–Silica Hybrid from Nonaqueous Sol–Gel Process, 1609
Hsu, J.-M.
—; Yang, D.-L.; Huang, S. K.: The Plasticizing Effect on the Thermal Transitions of the Toluenediisocyanate-Based Polyurethanes Monitored by Thermally Stimulated Current Technique, 743
Hsu, K.-C.
—; Chen, S.-D.; Su, N.: Water-Soluble Sulfonated Phenolic Resins: III. Effects of Degree of Sulfonation and Molecular Weight on Concrete Workability, 1762
Hu, G.-H. See Yu, Z.-Z., 1285
Hu, K. See Tang, J., 1857
Hu, L. See Meng, L., 1457
Hu, X. See Zhao, X., 1141
Hua, J. See Liu, Y., 2093
Huang, De.-Y. See Sui, Y., 1619
Huang, D.-Y. See Liu, Y.-G., 290
Huang, S. K. See Hsu, J.-M., 743
Huang, S.-L. See Ou, C.-F., 587
Huang, Y. See Gu, Y., 690
Husband, D. M. See Cintavey, L. A., 1448
Hwang, S.-H.
—; Miscibility of Poly(1,4-Cyclohexamethylene Terephthalate) Blends with Polyarylate, 1947

Ieshige, M. See Hoshi, M., 654
Iijima, T.
—; Katsurayama, S.; Fukuda, W.; Tomoi, M.: Modification of Cyanate Ester Resin by Poly(ethylene phthalate) and Related Copolyesters, 208
Ikada, Y. See Tsuji, H., 947
Imam, S. H. See Gordon, S. H., 1767
Inagaki, N. See Aikawa, S., 1741
Inomata, H. See Smith, R. L., Jr., 1062

Iordanskii, A. L.
—; Kamaev, P. P.; Hänggi, U. J.: Modification via Preparation for Poly(3-hydroxybutyrate) Films: Water-Transport Phenomena and Sorption, 475
Iroh, J. O.
—; Rajagopalan, R.: Electrochemical Polymerization of Aniline on Carbon Fibers in Aqueous Toluene Sulfonate Solution, 1503
Isacsson, U. See Lu, X., 1811
Ito, T. See Shigetomi, T., 67

Jang, J. See Kim, S., 1085
Jarvela, P. See Li, S., 722
Javni, I. See Petrović, Z. S., 133
Jeang, L. See Chappelow, C. C., 1715
Jeon, I. R. See Kim, M. S., 1329
Ji, B. C. See Lee, C. J., 1558; Wang, L., 1583
Jian, Z.
—; Zajac, R.; Chakrabarti, A.; Dyakonov, T.; Guo, X.; Sorensen, C.; Burns, D.; Stevenson, W. T. K.: Trends in the Adsorption of Mono-End-Capped Polystyrenes onto Polar Substrates: Theoretical Predictions and Experimental Observations, 1422
Jollands, M. See Kukaleva, N., 1011
Jones, N. A. See Lesser, A. J., 763; Sabbagh, A. B., 771
Joseph, R. See Srilathakutty, R., 277
Jurs, J. L. See Morgan, A. B., 1257

Kahil, T. See Moustafa, A. B., 594
Kaiser, E. J.
—; McGrath, J. J.; Bénard, A.: Directional Solidification of Isotactic and Atactic Polypropylene Blends, 1516
Kaji, A. See Konagaya, S., 921
Kale, D. D. See Paul, S., 1480
Kalinina, I. G. See Novotortzeva, T. N., 807
Kalman, E. See Foldes, E., 1529
Kalugina, E. B. See Novotortzeva, T. N., 807
Kamaev, P. P. See Iordanskii, A. L., 475
Kamiya, Y. See Yampolskii, Yu. P., 1691
Kang, E. T. See Han, H. S., 296
Karlsson, S. See Hakkarainen, M., 228
Katsurayama, S. See Iijima, T., 208
Kaufmann, R. See Chun, T. I., 1207
Kawashima, T. See Tatehata, H., 929
Kaya, D. See Pekcan, Ö., 1494
Ke, Y.-C. See Yu, Z.-Z., 1285
Keil, N. See Hong, K. C., 642
Khatua, B. B.
—; Maity, M.; Das, C. K.: Effect of Blending Technique on the Properties of Polyurethane and Epichlorohydrin Blends (Sulfur Cure), 1367
Khoee, S. See Mallakpour, S. E., 240
Khotimsky, V. S.
—; Filippova, V. G.; Plate, N. A.; Udipi, K.: Synthesis and Properties of Poly(acrylonitrile-*co*-*p*-trimethylsilylstyrene) and Poly(acrylonitrile-*co*-*p*-trimethylsilylstyrene-*co*-styrene), 1920
Khulbe, K. C.
—; Matsuura, T.; Kim, H.: Aging Effect of Filtered and Unfiltered Casting Solution on the Performances of Membranes (Note), 1485
Kim, B.-S.
—; Kim, J.-W.; Suh, K.-D.: Poly(methyl methacrylate) Multihollow Particles by Water in Oil in Water Emulsion Polymerization, 38
Kim, D. H. See Lee, C. J., 1558
Kim, D. J. See Kim, M. S., 1329
Kim, D.-S. See Kim, J.-Y., 2115
Kim, D.-Y. See Lee, D.-H., 249
Kim, H. See Khulbe, K. C., 1485
Kim, H.-J.
—; Hong, S.-I.: The Transport Properties of CO_2 and CH_4 for Chemically Modified Polysulfones, 391
Kim, H. K. See Hong, J. W., 1804
Kim, H. L. See Rana, D., 1950
Kim, H. S.
—; Oh, H. H.: Manufacturing and Impact Behavior of Syntactic Foam, 1324
—; See Kim, W. G., 1940
Kim, I. C. See Byun, I. S., 787
Kim, J. See Wu, J., 1000
Kim, J. S.
—; Kim, S. Y.: Necking Behavior in High-Speed Melt Spinning of Poly(ethylene terephthalate), 446
Kim, J.-W. See Kim, B.-S., 38
Kim, J.-Y.
—; Song, S.-H.; Kim, D.-S.; Suh, K.-D.: Synthesis of Novel Amphiphilic pH-Sensitive Polyurethane Networks through Water-in-Oil, Soap-Free Emulsion Polymerization Process. I. Microstructural Differences and Swelling Behaviors, 2115
Kim, M. S.
—; Kim, D. J.; Jeon, I. R.; Seo, K. H.: Polymerization Characteristics and Thermal Degradation Study of Poly(phenylene sulfide ketone), 1329
Kim, N. See Lee, C. J., 1558
Kim, S.
—; Jang, J.: Effects of Various Additives on the Performance of Bis-GMA/Barium Glass Powder Composites, 1085
Kim, S. Y. See Kim, J. S., 446
Kim, W. G.
—; Kim, H. S.: B-Stage Characterization of o-Cresol Novolac Epoxy Resin System Using Raman System Using Raman Spectroscopy and Matrix-Assisted Laser Desorption/Ionization (MALDI) Mass Spectrometry, 1940
Kitamura, Y. See Matsuyama, H., 1028
Kiyofuji, H. See Matsuyama, H., 1028
Kizilcan, N.
—; Mecit, O.; Uyanik, N.; Akar, A.: Block Copolymers of Styrene Containing Oligomeric Esters of Terephthalic Acids, 648
Knoetze, J. H. See De Wet-Roos, D., 368
Ko, S.-W. See Seong, H.-S., 2009

Koda, S. See Sakurai, T., 978
Kodama, M. See Chen, Z., 382
Konagaya, S.
—; Tokai, M.: Synthesis of Ternary Copolyamides from Aromatic Diamine (m-Phenylenediamine, Diaminodiphenylsulfone), Aromatic Diamine with Carboxyl or Sulfonic Group (3,5-Diaminobenzoic Acid, 2,4-Diaminobenzenesulfonic Acid), and Iso- or Terephthaloyl Chloride, 913
—; Watanabe, O.: Influence of Chemical Structure of Isophthaloyl Dichloride and Aliphatic, Cycloaliphatic, and Aromatic Diamine Compound Polyamides on Their Chlorine Resistance, 201
—; Watanabe, O.; Kaji, A.: Effect of Acid Acceptor on Synthesis of New Copolyamide with Piperazine Moiety, 921
Konaka, G. See Kubota, N., 12
Könczöl, L. See Höfflin, F., 623
Koo, S.-Y. See Lee, D.-H., 249
Kosior, E. See Kukaleva, N., 1011
Kříž, J. See Lokaj, J., 1093
Kubota, N.
—; Watanabe, H.; Konaka, G.; Eguchi, Y.: Ionically Conductive Polymer Gel Electrolytes Prepared from Vinyl Acetate and Methyl Methacrylate for Electric Double Layer Capacitor, 12
Kucharski, M.
—; Chmiel-Szukiewicz, E.: Reactions of Trithiocyanuric Acid with Oxiranes. I. Synthesis of Polyetherols, 439
Kudari, S. See Matsuyama, H., 1028
Kukaleva, N.
—; Jollands, M.; Cser, F.; Kosior, E.: Influence of Phase Structure on Impact Toughening of Isotactic Polypropylene by Metallocene-Catalyzed Linear Low-Density Polyethylene, 1011
Kulachinckaya, O. B. See Novotortzeva, T. N., 807
Kumar, S. D. See Balakrishnan, T., 1564
Kuo, H.-J. See Wang, H.-H., 2105
Kylmä, J.
—; Hiljanen-Vainio, M.; Seppälä, J.: Miscibility, Morphology and Mechanical Properties of Rubber-Modified Biodegradable Poly(ester-urethanes), 1074

Lacabanne, C. See Duret, N., 320
Lakshmana Rao, C. See Deshpande, A. P., 83
Lang, S. See Das, S., 1652
Lash, R. P. See Stewart, F. F., 55
Lastukhin, Yu. See Voronov, S., 1217
Lee, A. See Seo, J., 1315
Lee, C. See Seo, J., 1315
Lee, C. J.
—; Kim, D. H.; Oh, J. M.; Park, K. H.; Kim, N.; Ji, B. C.; Lyoo, W. S.: Solution Polymerization Behavior of N-Vinylcarbazole by Low-Temperature Azoinitiator, 1558
Lee, D.-H.
—; Koo, S.-Y.; Kim, D.-Y.; Choi, H.-J.: Preparation and Properties of Soluble Aromatic Polyetherimides Based on 2,2-Bis 4-(3,4-dicarboxyphenoxy)phenyl}-hexafluoropropane Dianhydride, 249
Lee, J.-S. See Tseng, W. T. W., 1280
Lee, W.-F.
—; Tu, Y.-M.: Physical Properties of Poly(vinyl chloride)–Grafted *N*-Isopropylacrylamide Graft Copolymers and Corresponding Polyblends, 170
Legay, R.
—; Roussel, J.; Boutevin, B.: Synthesis of Polyglutarimides from PMMA and Cyclohexylamine: Part I: Influence of the Working Conditions on the Imidization Reaction, 1876
Leonhardt, A. See Chun, T. I., 1207
Lesser, A. J.
—; Jones, N. A.: Fracture Behavior of Dynamically Vulcanized Thermoplastic Elastomers, 763
Lesser, A. J. See Sabbagh, A. B., 771
Li, F.-M.
—; Gao, Q.-Y.; Du, F.-S.; Yang, G.-X.; Zhang, F.-L.; Zhang, J.-X.; Li, Z.-C.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. IX. Initiation and Photochemical Behavior of Water and Liposoluble Acrylic Monomers Having Pyrimidinyl Moiety and Their Polymers, 19
Li, J.
—; Shanks, R. A.; Long, Y.: Mechanical Properties and Morphology of Polyethylene–Polypropylene Blends with Controlled Thermal History, 1151
Li, R. K. Y. See Liang, J.-Z., 419
Li, S.
—; Qiu, Q.; Jarvela, P.: Studies on Damping Properties of P(MMA-AN)/P(EA-nBA) LIPNs, 722
Li, Z.-C. See Li, F.-M., 19
Li, Z.-M. See Zhang, L.-M., 305
Liang, J.-Z.
—; Li, R. K. Y.; Tang, C. Y.; Cheung, S. W.: Die–Swell Behavior of Glass Bead-Filled Low-Density Polyethylene Composite Melts at High Extrusion Rates, 419
Liao, B. See Gu, Y., 690
Liau, W. B.
—; Chang, C. F.: Casting Solvent Effect on Crystallization Behavior and Morphology of Poly(ethylene oxide)/Poly(methyl methacrylate), 1627
Lin, C. B.
—; Chen, C.-Y.; Feng, C.-Y.: Effect of Melting Temperature, Coupling Agent, and Width on Properties of ABS + 20% PC/Al Flake-Metallized Plastics, 1902
Lin, Q. See Zhou, X., 1359
Lipatov, Y. S. See Shumsky, V. F., 993
Liu, H. See Tang, J., 1857
Liu, J. See Chen, G., 799
Liu, W. See Yu, L., 179
Liu, W.-M. See Zhang, Z.-Z., 1240
Liu, X. See Chen, D., 481

Liu, Y.
—; Wang, S.; Hua, J.: Synthesis of Complex Polymeric Flocculant and Its Application in Purifying Water, 2093
—; See Gao, J., 1054
Liu, Y.-G.
—; Sui, Y.; Yin, J.; Gao, J.; Zhu, Z.-K.; Huang, D.-Y.; Wang, Z.-G.: Synthesis and Characterization of Side-Chain Polyimides for Second-Order Nonlinear Optics via a Post-Azo-Coupling Reaction, 290
—; See Sui, Y., 1619
Liu, Y.-L. See Hsiue, G.-H., 1609
Liu, Z.
—; Xiao, H.; Wiseman, N.: Emulsifier-Free Emulsion Copolymerization of Styrene With Quaternary Ammonium Cationic Monomers, 1129
Loh, K.-C. See Zhu, G., 695
Lokaj, J.
—; Holler, P.; Kříž, J.: Copolymerization and Addition of Styrene and *N*-Phenylmaleimide in the Presence of Nitroxide, 1093
Long, Y. See Li, J., 1151
Lozano-González, Ma. J.
—; Rodriguez-Hernandez, Ma. T.; Gonzalez-de Los Santos, E. A.; Villalpando-Olmos, J.: Physical-Mechanical Properties and Morphological Study on Nylon-6 Recycling by Injection Molding, 851
Lu, J.
—; Wei, G.-X.; Sue, H.-J.; Chu, J.: Toughening Mechanisms in Commercial Thermoplastic Polyolefin Blends, 311
Lu, K.
—; Peng, H.-L.; Chen, D.-T.; Shi, N.; Xu, D.-F.: Investigation of Rare Earth Ions Adsorption Properties of PP-*g*-AA, 1549
Lu, L. See Chen, D., 481
Lu, X.
—; Isacsson, U.: Artificial Aging of Polymer Modified Bitumens, 1811
Lubczak, J.
—; Myśliwiec, B.; Bukowski, W.: Reactions Taking Place in the System N,N,N′,N′,N″-Pentakis(hdyroxymethyl)-melamine-Oxirane in Aqueous Media, 824
Lunin, A. S. See Novotortzeva, T. N., 807
Lyoo, W. S. See Lee, C. J., 1558

Ma, G. See Ni, H., 1731
Ma, H. See Sheng, J., 488
Ma, Y. See Hong, K. C., 642
Ma, Y.-M. See Xie, H.-Q., 845
Machado, J. C. See Silva, G. G., 1197
Mahdavian, A.-R. See Mallakpour, S. E., 240
Maher, C. See Yampolskii, Y., 552
Mai, Y.-W. See Wu, J., 1000
Maity, M. See Khatua, B. B., 1367
Mak, A. F. T. See Sun, S., 542
Mäkinen, E. See Nousiainen, P., 1725
Mallakpour, S. E.
—; Hajipour, A.-R.; Mahdavian, A.-R.; Khoee, S.: Synthesis and Characterization of Novel Optically Active and Flame-Retardant Heterocyclic Polyimides, 240
Mancini, S. D.
—; Zanin, M.: Consecutive Steps of Pet Recycling by Injection: Evaluation of the Procedure and of The Mechanical Properties, 266
Mandal, A. See Rana, A. K., 684
Manich, A. M.
—; Marino, P. N.; De Castellar, M. D.; Saldivia, M.; Saurí, R. M.: Viscoelastic Modeling of Natural and Synthetic Textile Yarns, 2062
Marcus, R. K. See Gibeau, T. E., 954
Marino, P. N. See Manich, A. M., 2062
Mark, J. E. See Apostolov, A. A., 2041
—; See Patil, R. D., 29
Mathew, G. See Agrawal, R., 1799
Matsuda, T.
—; Funae, Y.; Yoshida, M.; Yamamoto, T.; Takaya, T.: Optical Material of High Refractive Index Resin Composed of Sulfur-Containing Aliphatic and Alicyclic Methacrylates, 45
—; Funae, Y.; Yoshida, M.; Yamamoto, T.; Takaya, T.: Optical Material of High Refractive Index Resin Composed of Sulfur-Containing Aromatic Methacrylates, 50
Matsuoka, T. See Sakurai, T., 978
Matsuura, T. See Khulbe, K. C., 1485; Rhim, J.-W., 735
Matsuyama, H.
—; Kudari, S.; Kiyofuji, H.; Kitamura, Y.: Kinetic Studies of Thermally Induced Phase Separation in Polymer–Diluent System, 1028
Maucourt, J. See Vallat, M. F., 665
McCarthy, S. J. See Gunatillake, P. A., 2026
McGill, W. J. See Morgan, B., 1377, 1386, 1395, 1405, 1413
McGrath, J. J. See Kaiser, E. J., 1516
Mckenna, G. B. See Simon, S. L., 495
McKenna, T. F. See Fevotte, G., 357
Mecit, O. See Kizilcan, N., 648
Meijs, G. F. See Gunatillake, P. A., 2026
Meng, L.
—; Hu, L.; Chen, Y.; Du, C.; Wang, Y.: Copolymeric Network Crown Ether Resins with Pendent Functional Group: Synthesis and Adsorption for Metal Ions, 1457
Merle, G. See Colombini, D., 530
Meuldijk, J. See Slawinski, M., 1186
Ming, L. See Shi, G., 185; Wu, S., 1510
Minghetti, P. See Cilurzo, F., 1662
Mirzadeh, H. See Dadsetan, M., 401
Mitra, B. C. See Das, S., 1652
Mizuno, A. See Tsuji, H., 947
Mochizuki, A. See Tatehata, H., 929
Mondragon, I. See Aizpurua, B., 1269; Harismendy, I., 1037
Montanari, L. See Cilurzo, F., 1662
Morawiec, J. See Höfflin, F., 623
Morgan, A. B.
—; Jurs, J. L.; Tour, J. M.: Synthesis, Flame-Retardancy Testing, and Preliminary Mechanism Studies of

Nonhalogenated Aromatic Boronic Acids: A New Class of Condensed-Phase Polymer Flame-Retardant Additives for Acrylonitrile–Butadiene–Styrene and Polycarbonate, 1257

Morgan, B.
—; McGill, W. J.: Benzothiazole-Accelerated Sulfur Vulcanization. I. 2-Mercaptobenzothiazole as Accelerator for 2,3-Dimethyl-2-butene, 1377
—; McGill, W. J.: Benzothiazole-Accelerated Sulfur Vulcanization. II. 2-Mercaptobenzothiazole/Zinc Oxide and Bis(2-mercaptobenzothiazole)Zinc(II) as Accelerators for 2,3-Dimethyl-2-butene, 1386
—; McGill, W. J.: Benzothiazole-Accelerated Sulfur Vulcanization. III. 2-Bisbenzothiazole-2,2′-disulfide as Accelerator for 2,3-Dimethyl-2-butene, 1395
—; McGill, W. J.: Benzothiazole-Accelerated Sulfur Vulcanization. IV. Effect of ZnO and Bis(2-mercaptobenzothiazole)Zinc(II) on 2-Bisbenzothiazole-2,2′-polysulfide Formation in 2-Bisbenzothiazole-2,2′-disulfide and 2-Bisbenzothiazole-2,2-disulfide/Sulfur, 1405
—; McGill, W. J.: Benzothiazole-Accelerated Sulfur Vulcanization. V. 2-Bisbenzothiazole-2,2′-disulfide/ZnO and 2-Bisbenzothiazole-2,2′-disulfide/(2-mercaptobenzothiazole) Zinc(II) as Accelerators for 2,3-Dimethyl-2-butene, 1413

Moro, L. See Averous, L., 1117

Moustafa, A. B.
—; Kahil, T.; Faizalla, A.: Preparation of Porous Polymeric Structures for Enzyme Immobilization, 594

Mülhaupt, R. See Höfflin, F., 623

Muller, A. J. See Rando, M., 1910

Murugan, E. See Balakrishnan, T., 408

Myśliwiec, B. See Lubczak, J., 824

Na, S.-S.
—; Rhee, H.-K.: Polynomial ARMA Model Identification for a Continuous Styrene Polymerization Reactor Using On-line Measurements of Polymer Properties, 1889

Nagai, M. See Ni, H., 1731

Najafi-Mohajeri, N.
—; Nelson, G. L.; Benrashid, R.: Synthesis and Properties of New Ferrocene-Modified Urethane Block Copolymers, 1847

Nakagawa, T. See Hoshi, M., 654

Nakaya, T. See Chen, Z., 382

Narkis, M.
—; Rafail, I.; Victor, G.; Tzur, A.; Tchoudakov, R.; Siegmann, A.: Electrically Conductive Thermosetting Resins Containing Low Concentrations of Carbon Black, 1165

Nasef, M. M.
—; Saidi, H.; Nor, H. M.: Proton Exchange Membranes Prepared by Simultaneous Radiation Grafting of Styrene onto Poly(tetrafluoroethylene-*co*-hexafluoropropylene) Films. I. Effect of Grafting Conditions, 220
—; Saidi, H.; Nor, H. M.; Foo, O. M.: Cation Exchange Membranes by Radiation-Induced Graft Copolymerization of Styrene onto PFA Copolymer Films. II. Characterization of Sulfonated Graft Copolymer Membranes, 1
—; Saidi, H.; Nor, H. M.; Yarmo, M. A.: XPS Studies of Radiation Grafted PTFE-*g*-polystyrene Sulfonic Acid Membranes, 336

Nazarenko, S. See Flandin, L., 894

Nelson, G. L. See Najafi-Mohajeri, N., 1847

Ni, H.
—; Ma, G.; Nagai, M.; Omi, S.: Novel Method to Prepare Charged Mosaic Membrane by Using Dipole-Like Microspheres. I. Preparation and Characterization of Poly(4-vinylpyridine/*n*-butyl acrylate) Seed Latex with High Solid Content by Soap-Free Emulsion Polymerization, 1731

Ni, X.
—; Bennett, D. C.; Symes, K. C.; Grey, B. D.: Inverse Phase Suspension Polymerization of Acrylamide in a Batch Oscillatory Baffled Reactor, 1669

Nikles, D. E. See Vaideeswaran, K., 1338

Nisha, A.
—; Rajeswari, M. K.; Dhamodharan, R.: Intercalative Redox Polymerization and Characterization of Poly(*N*-vinyl-2-pyrrolidinone) in the Gallery of Vermiculite-A Novel Inorganic-Organic Hybrid Material, 1825

Nomura, H. See Sakurai, T., 978

Nor, H. M. See Nasef, M. M., 1, 220, 336

Nousiainen, P.
—; Vehviläinen, M.; Struszczyk, H.; Mäkinen, E.: Functional Hybrid Fibers of Cellulose/Microcrystalline Chitosan. I. Manufacture of Viscose/Microcrystalline Chitosan Fibers, 1725

Novotortzeva, T. N.
—; Kulachinckaya, O. B.; Andreeva, M. B.; Kalugina, E. B.; Aizinson, I. L.; Lunin, A. S.; Tochin, V. A.; Urman, Ya. G.; Kalinina, I. G.; Gumargalieva, K. Z.; Zaikov, G. E.: Aging of Modified Glass-Reinforced Polypropylene in Air and in Antifreeze, 807

Nunes, R. C. R. See Da Costa, H. M., 1019

Nyhus, A. K.
—; Hagen, S.; Berge, A.: Characterization of Crosslinked, Macroporous, Monosized Polymer Particles, 152

Odabaşi, M. See Denkbaş, E. B., 1637

Oduola, K. See Voronov, S., 1217, 1228

Oh, H. H. See Kim, H. S., 1324
Oh, J. M. See Lee, C. J., 1558
Ohguchi, M. See Shimizu, T., 350
Omi, S. See Ni, H., 1731
Örs, Y.
—; Atar, M.; Özçifçi, A.: Bonding Strength of Poly(vinyl Acetate)-Based Adhesives in Some Wood Materials Treated with Impregnation, 1472
Ou, C.-F.
—; Huang, S.-L.: The Crystallization Rate of Poly(ethylene terephthalate) Accelerated by Co poly(butylene terephthalate-*p*-oxybenzoate)} Copolyesters, 587
Ou, Y.-C. See Yu, Z.-Z., 1285
Özçifçi, A. See Örs, Y., 1472

Palmese, G. R. See Brill, R. P., 1572
Pan, J. See Wang, L., 1583
Papon, E. See Sánchez-Adsuar, M. S., 1590, 1596, 1602
Parent, J. S.
—; Geramita, K.; Ranganathan, S.; Whitney, R. A.: Silane-Modified Poly(ethylene-*co*-vinyl acetate): Influence of Comonomers on Peroxide-Initiated Vinyl Silane Grafting, 1308
Park, H.-D. See Ha, C.-S., 1048
Park, K. H. See Lee, C. J., 1558
Patil, R. D.
—; Dalev, P. G.; Mark, J. E.; Vassileva, E.; Fakirov, S.: Biodegradation of Chemically Modified Gelatin Films in Lake and River Waters, 29
Paul, S.
—; Kale, D. D.: Impact Modification of Polypropylene Copolymer with a Polyolefinic Elastomer, 1480
Pekcan, Ö.
—; Kaya, D.; Erdoğan, M.: Fast Transient Fluorescence (FTRF) Technique to Study Swelling of Densely and Loosely Formed Gels, 1494
Peng, H.-L. See Lu, K., 1549
Peng, T.
—; Cheng, Y.-L.: pH-Responsive Permeability of PE-*g*-PMAA Membranes, 778
Peppas, N. A. See Hassan, C. M., 2075
Perng, J. S. See Yang, M. C., 2068
Peruzzi, R. See Alessandrini, G., 962
Peterson, E. S. See Stewart, F. F., 55
Petrović, Z. S.
—; Javni, I.; Waddon, A.; Bánhegyi, G.: Structure and Properties of Polyurethane–Silica Nanocomposites, 133
Pich, A. See Voronov, S., 1228
Pinzino, C. S. See Chappelow, C. C., 1715
Plate, N. A. See Khotimsky, V. S., 1920
Pluta, M. See Bartczak, Z., 1746
Potente, H.
—; Bastian, M.; Gehring, A.; Stephan, M.; Pötschke, P.: Experimental Investigation of the Morphology Development of Polyblends in Corotating Twin-Screw Extruders, 708
Pötschke, P. See Potente, H., 708
Premphet, K.
—; Horanont, P.: Phase Structure and Property Relationships in Ternary Polypropylene/Elastomer/Filler Composites: Effect of Elastomer Polarity, 1929
Puschke, C. See Voronov, S., 1228

Qiang, W. See Boey, F. Y. C., 1248
Qiu, Q. See Li, S., 722

Radhakrishnan, T. S.
—; Pyrolysis and Thermo-oxidative Degradation of Polycyclopentadiene, 635
Rafail, I. See Narkis, M., 1165
Rahman, L.
—; Silong, S.; Zin, W. M.; Rahman, Z. A.; Ahmad, M.; Haron, J.: Graft Copolymerization of Methyl Acrylate onto Sago Starch Using Ceric Ammonium Nitrate as an Initiator, 516
Rahman, Z. A. See Rahman, L., 516
Rajagopalan, R. See Iroh, J. O., 1503
Rajeswari, M. K. See Nisha, A., 1825
Rana, A. K.
—; Mandal, A.; Bannerjee, A. N.: Jute Sliver–LDPE Composites: Effect of Aqueous Consolidation on Mechanical and Dynamic Properties, 684
Rana, D.
—; Kim, H. L.; Rhee, J.; Choe, S.: Blends of Ethylene 1-Octene Copolymer Synthesized by Ziegler–Natta and Metallocene Catalysts. II. Rheology and Morphological Behaviors, 1950
Rando, M.
—; Socias, P. A.; Muller, A. J.; Smitter, L. M.; Saez, A. A.: Flow of Mixtures of Poly(Ethylene Oxide) and Hydrolyzed Polyacrylamide Solutions Through Opposed Jets, 1910
Ranganathan, S. See Parent, J. S., 1308
Rao, V.
—; Ashokan, P. V.; Shridhar, M. H.: Miscible Blends of Cellulose Acetate Hydrogen Phthalate and Poly(vinyl pyrollidone) Characterization by Viscometry, Ultrasound, and DSC, 859
Ravasi, M. See Hong, K. C., 642
Ravi Kumar, M. N. V. See Gupta, K. C., 672
Rehwinkel, C. See Chun, T. I., 1207
Rhee, H.-K. See Na, S.-S., 1889
Rhee, J. See Rana, D., 1950
Rhim, J.-W.
—; Chowdhury, G.; Matsuura, T.: Development of Thin-Film Composite Membranes for Carbon Dioxide and Methane Separation Using Sulfonated Poly(phenylene oxide), 735
Ribes-Greus, A. See Flaqué, C., 326
Riccardi, C. C. See Aizpurua, B., 1269
Rochefort, W. E. See Xu, B., 1100
Rodriguez-Hernandez, Ma. T. See Lozano-González, Ma. J., 851
Rodríguez, J. F. See Cordoví, C. M., 814
Rogovina, S. Z.
—; Vikhoreva, G. A.; Akopova, T. A.; Gorbacheva, I. N.:

Investigation of Interaction of Chitosan with Solid Organic Acids and Anhydrides Under Conditions of Shear Deformation, 616
Rossbach, V. See Chun, T. I., 1207
Roussel, J. See Legay, R., 1876
Rowell, R. M. See Das, S., 1652; Hassan, M. L., 561, 575

Sabbagh, A. B.
—; Jones, N. A.; Lesser, A. J.: *In Situ* Orientation of Linear Low Density Polyethylene Films Subjected to Mode I Fracture Load, 771
Saez, A. A. See Rando, M., 1910
Saha, A. K. See Das, S., 1652
Saha, N.
—; Datta, C.; Banerjee, A. N.: Tensile Behavior of Unidirectional Polyethylene Fibers PMMA and Glass Fibers—PMMA Composite Lamiinates, 1489
Sahoo, S. See Gupta, K. C., 906
Saidi, H. See Nasef, M. M., 1, 220, 336
Saitoh, T. See Hoshi, M., 654
Sakurai, T.
—; Matsuoka, T.; Koda, S.; Nomura, H.: Acoustic Characteristics of PMMA in the Steady Stress–Strain State Investigated by Coherent Brillouin Scattering Method, 978
Saldivia, M. See Manich, A. M., 2062
Sánchez-Adsuar, M. S.
—; Papon, E.; Villenave, J.-J.: Influence of the Prepolymerization on the Properties of Thermoplastic Polyurethane Elastomers. Part I: Prepolymer Characterization, 1596
—; Papon, E.; Villenave, J.-J.: Influence of the Prepolymerization on the Properties of Thermoplastic Polyurethane Elastomers. Part II: Relationship between the Prepolymer and Polyurethane Properties, 1602
—; Papon, E.; Villenave, J.-J.: Influence of the Synthesis Conditions on the Properties of Thermoplastic Polyurethane Elastomers, 1590
Sanderson, R. D. See De Wet-Roos, D., 368
Sasaki, N. See Wakabayashi, K., 1351
Saurí, R. M. See Manich, A. M., 2062
Saxena, N. S. See Agrawal, R., 1799
Schellekens, M. A. J. See Slawinski, M., 1186
Schork, F. J. See Gooch, J. W., 105
Schultz, J. See Vallat, M. F., 665
Secchi, A. R. See Haag, M. C., 425
Seferis, J. C. See Hayes, B. S., 728
Seo, J.
—; Lee, A.; Lee, C.; Han, H.: Water-Sorption Behavior of *p*-Phenylene Diamine–Based Polyimide Thin Films, 1315
Seo, J. W. See Byun, I. S., 787
Seo, K. H. See Kim, M. S., 1329
Seong, H.-S.
—; Whang, H. S.; Ko, S.-W.: Synthesis of A Quaternary Ammonium Derivative of Chito-oligosaccharide as Antimicrobial Agent for Cellulosic Fibers, 2009
Seppälä, J. See Kylmä, J., 1074
Seredyuk, V. See Voronov, S., 1228
Shalaby, S. W. See Allan, J. M., 1865, 1870; Bouknight, J. M., 93
Shanahan, M. E. R. See Buch, X., 987
Shanks, R. A. See Li, J., 1151
Sharifi-Sanjani, N. See Dadsetan, M., 401
Sharma, K. B. See Agrawal, R., 1799
Shen, N.-X. See Sheng, J., 488
Shen, W.-C. See Zhang, Z.-Z., 1240
Sheng, J.
—; Ma, H.; Yuan, X.-B.; Yuan, X.-Y.; Shen, N.-X.; Bian, D.-C.: Relation of Chain Constitution with Phase Structure in Blends: Compatibility of Two Phases in Blends of Polyamide with Low-Density Polyethylene and Its Ionomers, 488
Shi, G.
—; Ming, L.; Wu, S.; Guo, L.: Carbonization of Trichloroethanes with Anhydrous Potassium Hydroxide, 185
—; See Wu, S., 1510
Shi, N. See Lu, K., 1549
Shigetomi, T.
—; Tsuzumi, H.; Toi, K.; Ito, T.: Sorption and Diffusion of Water Vapor in Poly(ethylene terephthalate) Film, 67
Shimizu, R. N.
—; Demarquette, N. R.: Evaluation of Surface Energy of Solid Polymers Using Different Models, 1831
Shimizu, T.
—; Higashiura, S.; Ohguchi, M.: Preparation of an Acrylic-Grafted Polyester and Its Aqueous Dispersion—Effect of the Molecular Structures of the Grafted Polyesters on Viscosity and Rheology of Dispersion, 350
Shin, Y.
—; Son, K.; Yoo, D. I.: Structural Changes in Tencel by Enzymatic Hydrolysis, 1644
Shishoo, R. See Thilén, M., 938
Shogren, R. L. See Gordon, S. H., 1767
Shridhar, M. H. See Rao, V., 859
Shumsky, V. F.
—; Getmanchuk, I. P.; Lipatov, Y. S.: Effect of a Filler on the Rheological and Mechanical Properties of the Liquid-Crystalline Polyester–Poly(methyl methacrylate) Blends, 993
Siegmann, A. See Narkis, M., 1165
Silong, S. See Rahman, L., 516
Silva, G. G.
—; De Souza, D. A.; Machado, J. C.; Hourston, D. J.: Mechanical and Thermal Characterization of Native Brazilian Coir Fiber, 1197
Simon, S. L.
—; Mckenna, G. B.; Sindt, O.: Modeling the Evolution of the Dynamic Mechanical Properties of a Commercial

Epoxy During Cure after Gelation, 495
Simonsen, J. See Xu, B., 1100
Sindt, O. See Simon, S. L., 495
Singh, H. See Tyagi, M., 1109
Singler, R. E. See Stewart, F. F., 55
Sirisinha, C.
—; Sittichokchuchai, W.: A Study of Relationships Between State-of-Mix, Rheologic Properties, Dynamic Properties, and Bound Rubber Content, 1542
Sittichokchuchai, W. See Sirisinha, C., 1542
Slawinski, M.
—; Schellekens, M. A. J.; Meuldijk, J.; van Herk, A. M.; German, A. L.: Seeded Emulsion Polymerization of Styrene: Influence of Acrylic Acid on the Particle Growth Process, 1186
Smith, R. L., Jr.
—; Fang, Z.; Inomata, H.; Arai, K.: Phase Behavior and Reaction of Nylon 6/6 in Water at High Temperatures and Pressures, 1062
Smitter, L. M. See Rando, M., 1910
Socias, P. A. See Rando, M., 1910
Son, K. See Shin, Y., 1644
Song, M. See Hourston, D. J., 1791
Song, S.-H. See Kim, J.-Y., 2115
Sorensen, C. See Jian, Z., 1422
Srilathakutty, R.
—; Joseph, R.; George, K. E.: Development of Polybutadiene (BR)–Polyethylene (LDPE) Blend Based Microcellular Soles for Low-Temperature Applications, 277
Stephan, M. See Potente, H., 708
Stevenson, W. T. K. See Jian, Z., 1422
Stewart, F. F.
—; Singler, R. E.; Harrup, M. K.; Peterson, E. S.; Lash, R. P.: Electron Beam Crosslinking of Fluoroalkoxy, Methoxyethoxyethoxy, and Substituted Phenoxy Polyphosphazenes: Physical and Chemical Characterization and Comparison to a Thermally Induced Free Radical Process and Ionic Complexation, 55
Struszczyk, H. See Nousiainen, P., 1725
Su, N. See Hsu, K.-C., 1762
Sue, H.-J. See Lu, J., 311
Suh, K.-D. See Kim, B.-S., 38; Kim, J.-Y., 2115
Sui, Y.
—; Guo, X.-X.; Yin, J.; Liu, Y.-G.; Gao, J.; Zhu, Zi.-K.; Huang, De.-Y.; Wang, Z.-G.: Preparation and Properties of Thermally Stable Copolyimides Based on Novel Second-Order Nonlinear–Optical Chromophore Containing Diamines, 1619
Sui, Y. See Liu, Y.-G., 290
Sun, Q. See Zhao, F., 1683
Sun, S.
—; Wong, Y. W.; Yao, K.; Mak, A. F. T.: A Study on Mechano-Electro-Chemical Behavior of Chitosan/Poly(propylene glycol) Composite Fibers, 542
Symes, K. C. See Ni, X., 1669

Takaya, T. See Matsuda, T., 45, 50
Tan, K. L. See Han, H. S., 296
Tan, Y.-B. See Zhang, L.-M., 305
Tang, C. Y. See Liang, J.-Z., 419
Tang, J.
—; Hu, K.; Liu, H.; Guo, D.; Wu, R.: Synthesis of 10 Nanometric Copper Clusters in a Polymer Matrix by a Solution-Reduction Synthesis (SRS), 1857
Tasaka, S. See Aikawa, S., 1741
Täschner, C. See Chun, T. I., 1207
Tatehata, H.
—; Mochizuki, A.; Kawashima, T.; Yamashita, S.; Yamamoto, H.: Model Polypeptide of Mussel Adhesive Protein. I. Synthesis and Adhesive Studies of Sequential Polypeptides (X-Tyr-Lys)$_n$ and (Y-Lys)$_n$, 929
Tchoudakov, R. See Narkis, M., 1165
Thilén, M.
—; Shishoo, R.: Optimization of Experimental Parameters for the Quantification of Polymer Additives using SFE/HPLC, 938
Thomas, S. See Agrawal, R., 1799
Tochin, V. A. See Novotortzeva, T. N., 807
Todd, T. See Das, S., 1652
Toi, K. See Shigetomi, T., 67
Tokai, M. See Konagaya, S., 913
Tokarev, V. See Voronov, S., 1217; 1228
Tomasovsky-Bobak, A. See Foldes, E., 1529
Tomoi, M. See Iijima, T., 208
Toniolo, L. See Alessandrini, G., 962
Toth, A. See Foldes, E., 1529
Tour, J. M. See Morgan, A. B., 1257
Troev, K.
—; Atanassov, Vl.; Tzevi, R.: Chemical Degradation of Polyurethanes. 2. Degradation of Microporous Polyurethane Elastomer by Phosphoric Acid Esters, 886
Tseng, W. T. W.
—; Lee, J.-S.: Functional MBS Impact Modifiers for PC/PBT Alloy, 1280
Tsuji, H.
—; Mizuno, A.; Ikada, Y.: Enhanced Crystallization of Poly(L-lactide-co-ε-caprolactone) During Storage at Room Temperature, 947
Tsuzumi, H. See Shigetomi, T., 67
Tu, Y.-M. See Lee, W.-F., 170
Tyagi, M.
—; Singh, H.: Iodinated P(MMA-NVP): An Efficient Matrix for Disinfection of Water, 1109
Tzevi, R. See Troev, K., 886
Tzur, A. See Narkis, M., 1165

Udipi, K. See Khotimsky, V. S., 1920
Umapathy, S. See Vivekanandam, T. S., 524
Urman, Ya. G. See Novotortzeva, T. N., 807
Uyanik, N. See Kizilcan, N., 648

Vaideeswaran, K.
—; Bell, J. P.; Nikles, D. E.: Quinone-Amine Polyurethanes: New Coupling Agents for the Steel-Epoxy System, 1338

Vallat, M. F.
—; Bessaha, N.; Schultz, J.; Maucourt, J.; Combette, C.: Adhesive Behavior of Polyurethane-Based Materials, 665
van Herk, A. M. See Slawinski, M., 1186
Vassileva, E. See Apostolov, A. A., 2041; Patil, R. D., 29
Vasudevan, T. See Vivekanandam, T. S., 524
Vehviläinen, M. See Nousiainen, P., 1725
Victor, G. See Narkis, M., 1165
Vigeant, B. See Hong, K. C., 642
Vignon, M. R. See Dufresne, A., 2080
Vikhoreva, G. A. See Rogovina, S. Z., 616
Villalpando-Olmos, J. See Lozano-González, Ma. J., 851
Villenave, J.-J. See Sánchez-Adsuar, M. S., 1590, 1596, 1602
Visconte, L. L. Y. See Da Costa, H. M., 1019
Vivekanandam, T. S.
—; Gopalan, A.; Vasudevan, T.; Umapathy, S.: Polymerization of Methacrylamide in the Presence of Ultrasound and Peroxomonosulphate, 524
Voronov, S.
—; Tokarev, V.; Datsyuk, V.; Seredyuk, V.; Bednarska, O.; Oduola, K.; Adler, H.; Puschke, C.; Pich, A.; Wagenknecht, U.: Polyperoxidic Surfactants for Interface Modification and Compatibilization of Polymer Colloidal Systems. II. Design of Compatibilizing Layers, 1228
—; Tokarev, V.; Oduola, K.; Lastukhin, Yu.: Polyperoxide Surfactants for Interface Modification and Compatibilization of Polymer Colloidal Systems. I. Synthesis and Properties of Polyperoxide Surfactants, 1217

Waddon, A. See Petrović, Z. S., 133
Wagenknecht, U. See Voronov, S., 1228
Wakabayashi, K.
—; Sasaki, N.; Hikichi, K.: Elongational Flow Studies of the Conformation of DNA Molecules in the Globular State, 1351
Wang, C.-C. See Wang, H.-H., 2105
Wang, H. See Xiao, C., 509
Wang, H.-H.
—; Wang, C.-C.; Kuo, H.-J.: The Kinetics and Thermodynamics of Nylon 6 Fiber Dyeing with Hydrogen Peroxide-Glyoxal Redox System, 2105
Wang, L.
—; Yuan, Y. L.; Ge, C. X.; Wang, Y. X.; Ji, B.; Pan, J.; Ye, Z. Y.; Feng, L. X.: Studies on Probing SiO_2 Surface Using BF_3 As Probe and $SiO_2/Al_2Et_3Cl_3/TiCl_4(PhMgCl)$ Catalytic System for Copolymerization of Ethylene and Propylene, 1583
Wang, M. See Dong, Y., 2057
Wang, S. See Liu, Y., 2093
Wang, W. J. See Chen, W. C., 2098
Wang, X. See Chen, D., 481
Wang, Y. See Meng, L., 1457
Wang, Y. X. See Wang, L., 1583
Wang, Z.-G. See Liu, Y.-G., 290; Sui, Y., 1619
Watanabe, H. See Kubota, N., 12
Watanabe, O. See Konagaya, S., 201, 921
Wavhal, D. S. See Bhat, N. V., 258
Wei, G.-X. See Lu, J., 311
Whang, H. S. See Seong, H.-S., 2009
Whitney, R. A. See Parent, J. S., 1308
Wiley, D. See Yampolskii, Y., 552
Wiseman, N. See Liu, Z., 1129
Wojciechowski, P.
—; Thermotropic Mesomorphism of Selected (2-hydroxypropyl)cellulose Derivatives, 837
Wong, Y. W. See Sun, S., 542
Wu, J.
—; Yu, D.; Chan, C.-M.; Kim, J.; Mai, Y.-W.: Effect of Fiber Pretreatment Condition on the Interfacial Strength and Mechanical Properties of Wood Fiber/PP Composites, 1000
Wu, R. See Tang, J., 1857
Wu, S.
—; Ming, L.; Shi, G.; Guo, L.: Liquid/Solid Two-Phase Carbonization of Low-Molecular-Weight Chloro-/Bromo-Hydrocarbons, 1510
—; See Shi, G., 185
Wu, Y. See Dong, Y., 2057

Xiao, C.
—; Gao, S.; Wang, H.; Zhang, L.: Blend Films from Chitosan and Konjac Glucomannan Solutions, 509
Xiao, H. See Liu, Z., 1129
Xie, H.-Q.
—; Ma, Y.-M.: Preparation of Conductive Polyaniline/Chlorosulfonated Polyethylene Composites Via In Situ Emulsion Polymerization and Study of Their Properties, 845
Xu, B.
—; Simonsen, J.; Rochefort, W. E.: Mechanical Properties and Creep Resistance in Polystyrene/Polyethylene Blends, 1100
Xu, C.
—; Feng, S.: Investigation of Polysiloxanes Containing Phenylethynyl Groups as Crosslinkers of Heat-Curable Silicone Rubber, 1554
Xu, D.-F. See Lu, K., 1549
Xu, M. See Gu, Y., 690
Xue, Q. See Yu, L., 179
Xue, Q.-J. See Zhang, Z.-Z., 1240

Yacoub, S. F. See Hassan, M. L., 561, 575
Yamamoto, H. See Tatehata, H., 929
Yamamoto, T. See Matsuda, T., 45, 50
Yamashita, S. See Tatehata, H., 929
Yampolskii, Y.
—; Wiley, D.; Maher, C.: Novel Correlation for Solubility of Gases in Polymers: Effect of Molecular Surface Area of Gases, 552

Yampolskii, Yu. P.
—; Kamiya, Y.; Alentiev, A. Yu.: Transport Parameters and Solubility Coefficients of Polymers at Their Glass Transition Temperatures, 1691
Yang, D.-L. See Hsu, J.-M., 743
Yang, G.-X. See Li, F.-M., 19
Yang, M. C.
—; Perng, J. S.: Camphene as a Novel Solvent for Polypropylene: Comparison Study Based on Viscous Behavior of Solutions, 2068
Yang, S. See Yu, L., 179
Yang, X. See Chen, D., 481
Yao, K. See Sun, S., 542
Yao, K. D. See Zhao, F., 1683
Yarmo, M. A. See Nasef, M. M., 336
Yasuda, H. K. See Zhang, C., 1985
Yavuz, H. See Denizli, A., 115
Ye, Z. Y. See Wang, L., 1583
Yeh, J.-T.
—; Chao, C.-C.; Chen, C.-H.: Effects of Processing Conditions on the Barrier Properties of Polyethylene (PE)/Modified Polyamide (MPA) and Modified Polyethylene (MPE)/Polyamide (PA) Blends, 1997
Yin, J. See Liu, Y.-G., 290; Sui, Y., 1619
Yokochi, A. See Chen, H.-L., 1466
Yong-Zhong, B.
—; Zhi-Xue, W.; Zhi-Ming, H.; Zu-Ren, P.: Structure–Property Relationships of Lightly Chemical Crosslinked Poly(vinyl chloride) Thermoplastic Elastomer, 868
Yoo, D. I. See Shin, Y., 1644
Yoshida, M. See Matsuda, T., 45, 50
Yu, D. See Wu, J., 1000
Yu, L.
—; Yang, S.; Liu, W.; Xue, Q.; Bahadur, S.: Action of Transfer Film in Improving Friction and Wear Behaviors of Iron- and Copper-Filled Poly(ether ether ketone) Composites, 179
Yu, X. See Chen, H., 2049
Yu, Z.-Z.
—; Ke, Y.-C.; Ou, Y.-C.; Hu, G.-H.: Impact Fracture Morphology of Nylon 6 Toughened with a Maleated Polyethylene–Octene Elastomer, 1285
Yuan, Q. See Dong, Y., 2057
Yuan, X.-B. See Sheng, J., 488
Yuan, X.-Y. See Sheng, J., 488
Yuan, Y. L. See Wang, L., 1583
Yue, C. Y. See Zhao, X., 1141

Zaikov, G. E. See Novotortzeva, T. N., 807
Zajac, R. See Jian, Z., 1422
Zanin, M. See Mancini, S. D., 266
Zhang, C.
—; Gopalaratnam, V. S.; Yasuda, H. K.: Plasma Treatment of Polymeric Fibers for Improved Performance in Cement Matrices, 1985
Zhang, F.-L. See Li, F.-M., 19
Zhang, J.-X. See Li, F.-M., 19
Zhang, L. See Xiao, C., 509
Zhang, L.-M.
—; Tan, Y.-B.; Li, Z.-M.: New Amphoteric Graft Copolymers of Sodium Carboxymethyl Cellulose with Acrylamide and Dimethylaminoethyl Methacrylate: Aqueous Solution Properties, 305
Zhang, R. See Chen, Z., 382
Zhang, X. See Aikawa, S., 1741
Zhang, Z.-Z.
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Effects of Lubricating-Oil Additives on the Friction and Wear Properties of Polymers and Their Composites Sliding Against Steel Under Oil-Lubricated Conditions, 1240
Zhao, F.
—; Sun, Q.; Fang, D. P.; Yao, K. D.: Preparation and Properties of Polydimethylsiloxane-Modified Epoxy Resins, 1683
Zhao, X.
—; Hu, X.; Yue, C. Y.; Zhou, Q.; Du, X.: Sythesis, Characterization, and Application of Semi-Interpenetrating Liquid Crystalline Polymer Networks LCP/PS, 1141
Zhi-Ming, H. See Yong-Zhong, B., 868
Zhi-Xue, W. See Yong-Zhong, B., 868
Zhou, Q. See Zhao, X., 1141
Zhou, X.
—; Dai, G.; Guo, W.; Lin, Q.: Influence of Functionalized Polyolefin On Interfacial Adhesion Of Glass Fiber-Reinforced Polypropylene, 1359
Zhu, G.
—; Chung, T.-S.; Loh, K.-C.: Activated Carbon-Filled Cellulose Acetate Hollow-Fiber Membrane for Cell Immobilization and Phenol Degradation, 695
Zhu, Zi.-K. See Sui, Y., 1619
Zhu, Z.-K. See Liu, Y.-G., 290
Zimmer, J. G. See Chisholm, B. J., 1296
Zin, W. M. See Rahman, L., 516
Zu-Ren, P. See Yong-Zhong, B., 868

Journal of Applied Polymer Science

Subject Index—Volume 76

Abrasion resistance, 277
Accessibility, 1644
Acid acceptor, 921
Acrylamide, 401
Acrylic, 2062
Acrylic acid, 594, 1186
Acrylic copolymers, 962
Acrylics, 350
Acrylonitrile, 1920
Acrylonitrile (AN), 1564
Acrylonitrile–butadiene–styrene, 1257
Activated carbon, 695
Activation energy, 190, 1248
Active site, 408
Additives, 938, 1085, 1725
Adhesion, 665, 1338
Adhesive strength, 929
Adhesives, 1472
ADMVN, 1558
Adsorption, 1228, 1422, 1457, 1549
Agglomeration, 1165
Aging, 987
Aging effect, 1485
Agitation speed, 38
Al flake, 1902
Algorithm of grid search, 481
Aliphatic polyamide, 201
Aliphatic thiomethacrylate, 45
Aluminum, 875
Ammonia plasma, 258
Amphiphilic networks, 2115
Amphoteric graft copolymers, 305
Analysis, 824
Aniline, 1503
Anionic pulp fibers, 1677
Annealing effects, 947
Antimicrobial activity, 2009
Antimicrobial polymers, 1109
Antioxidants, 938
Aqueous dispersion, 350
Aqueous electrochemical polymerization, 1503
Aqueous MCCh gel concentration, 1725
Aqueous solution properties, 305
Aqueous solutions, 824
Aromatic carboxylic acid dianhydrise, 249
Aromatic polyamide, 201
Aromatic polyetherimide, 249
Aromatic thiomethacrylate, 50
Artificial aging, 1811
Asymmetric polymeric membranes, 787

Bagasse, 561, 575
Bamboo, 83
Beads, 672
Bending, 2041
Benzophenone, 1741
BF_3 probe, 1583
Bimaterial, 1777
Biodegradability, 29
Biodegradable plastic, 1767
Biodegradation, 326
Biomedical applications, 1637
Biopolymer degradation profiles, 1767
Birefringence, 771
2-Bisbenzothiazole-2,2′-disulfide, 1395, 1405, 1413
2-Bisbenzothiazole-2,2′-polysulfide, 1405
Bis-GMA/Ba composites, 1085
Bistriazolinediones, 240
Bis(2-mercaptobenzothiazole)-zinc(II), 1386, 1405, 1413
Blend, 488, 587
Blend film, 509
Blends, 859, 1011, 1048, 1074, 1085, 1100, 1117, 1141, 1151, 1480, 1627, 1746, 1947
Block copolymer, 648
Block copolymers, 1093
Blood compatibility, 382
Bonding strength, 1472
Boron-containing phenol-formaldehyde resin, 1054
Boronic acids, 1257
Bound rubber content, 1542
B-stage characterization, 1940
Bundle of cylinders, 1171

C—H bond density, 2098
Camphene, 2068
Capillary extrusion, 419
Capillary viscometry, 1662
Carbon black, 894
Carbon black (CB) particles, 1165
Carbon fiber, 894
Carbon fiber/epoxy, 457
Carbon fibers, 1503
Carbonitrile, 282
Carboxyl functionalized rubber-modified adhesives, 728
Carboxylatated polycaprolactone, 2049
Carbyne analogue, 1510
Casting solution, 1485
Catalyzation, 1510
Cation exchange membrane, 1
Cationic latex, 1677
Cationic polymer microparticle, 1129
Caytur, 1367
Cell immobilization, 695
Cellulase, 1644
Cellulose, 326, 906
Cellulose acetate, 695
Cellulose crystallite size, 1466
Cellulose microfibrils, 2080
Cellulosic fiber, 2009
Chain extension, 1590, 1602
Chain scission, 987
Channel waveguides, 1448
Characterization, 1619, 2026
Charged mosaic membrane, 1731
Chemical crosslinking, 868
Chemical degradation, 886
Chemical modifier, 807
Chemical structure, 1315
Chito-oligosaccharide, 2009
Chitosan, 509, 616, 672, 1785, 2057
Chitosan microspheres, 1637
Chitosan sponges, 1637
Chitosan/poly(ethylene glycol) composite fibers, 542
Chlorination, 201
Chlorine resistance, 201
Chloro-/bromo-hydrocarbon, 1510
Chlorosulfonated polyethylene, 845
Chlorphenramine maleate, 672
Cholesteric phase, 2057
Chromatography, 1811
Cibacron Blue F3GA, 115
Cluster, 1857
CO_2 laser, 401
CO_2/CH_4 separation, 735

Coating formation, 875
Cobaltacetylacetonate complex, 906
Co-continuity, 1011
Coherent Brillouin scattering, 978
Coil–globule transition, 1351
Coir fiber, 1197
Cole–Cole, 1804
Comonomer, 1308
Comonomer adducts, 1093
Compatibility, 1662, 1920
Compatibility of polymer–polymer, 488
Compatibilization, 799, 1746
Compatibilizer, 1285
Compatibilizers, 1048
Compensation law, 320
Complex, 2093
Composite, 179, 684, 845, 1777, 1857, 2080
Composite emulsion, 368
Composite laminate, 1489
Composite melt, 419
Composites, 133, 575, 894, 1019, 1085, 1240, 1799, 1929
Compression, 1324
Conductive polymer' electrochromic property, 845
Consolidation, 684
Contact angle, 296
Contact angles, 1831
Continuous styrene polymerization reactor, 1889
Control of the TPU properties, 1590
Controlled release, 672
Conversion, 368
Copolyester, 587
Copolyimide, 1619
Copolymer, 603, 913
Copolymer composition, 357
Copolymerization, 125, 1217, 1457, 1920
Copper, 1857
Copper number, 1644
Core–shell latex, 1228
Core-shell, 1280
Corona discharge, 1529
Cotton, 2062
Coupling agent, 1019, 1902
Creep, 1100, 2041
Crosslinked gelatin, 29, 2041
Crosslinking, 55, 1554
Crosslinking ratio, 1706
Crown ether resin, 1457
Crystal structure, 1151
Crystallinity, 1644
Crystallization, 947, 1516
Crystallization kinetics, 1296
Crystallization rate, 587
Cure, 495
Cure reaction, 1248
Cured vinyl ester resin, 1165
Curing, 1019, 1085, 1367, 1804
Curing kinetics, 1054
Cyanate ester resin, 208
Cyanate esters, 1037
Cyanoethyl chitosan, 2057
Cycloaliphatic polyamide, 201
Cyclohexylamine, 1876

Damping properties, 722
Debonding, 457
Deformation mechanism, 1746
Degradation, 228, 987, 1329
Degree of polymerization, 1602, 1644
Degree of substitution, 2057
Degree of sulfonation, 1762
Dehydrochlorination, 185
Dehydrogenase activity, 29
Densely formed gels, 1494
DGEBA, 1683
Dialysis, 125
2,4-Diaminobenzene sulfonic acid (or sulfonate), 913
3,5-Diaminobenzoic acid, 913
Diaminodiphenylsulfone, 921
Diastereoselectivity, 240
Die swell, 419
Dielectric analysis, 1804
Dielectric constant, 249
Dielectric properties, 859
Dielectric relaxation, 320
Diels–Alder-ene polymerization, 240
Differential scanning calorimetry (DSC), 357
Diffusion, 67, 475
Diffusion coefficient, 1315
Diffusion coefficients, 1691
Dimensional stability, 575
2,3-Dimethyl-2-butene, 1377, 1386, 1395, 1413
Dispersion, 594
DNA, 1351
Drag, 1171
Droplet growth, 1028
Drying, 266
Dual mode sorption isotherms, 552
Dual-sorption model, 67
Dye affinity microspheres, 115
Dyeing, 2105
Dynamic mechanical analysis, 1811
Dynamic properties, 1542

Elasticity, 868
Elastomer polarity, 1929
Electrical percolation, 1165
Electrical properties, 133, 894
Electrochemistry, 1847
Electrolyte, 1503
Electron beam, 75, 1549
Electron beam modification, 2016
Electron beam processing, 55
Electropolymerization, 1503
Elevated temperature, 987
Elongational flow field, 1351
Emulsification, 690
Emulsifier-free emulsion polymerization, 1129
Emulsion copolymerization, 357
Emulsion polymerization, 101, 845, 1186
End-group reaction, 190
Enzymatic reaction, 929
Enzyme immobilization, 594
EPDM, 425
Epichlorohydrin, 542, 1367
Epoxy, 495, 1248, 1338
Epoxy adhesives, 728
Epoxy resin, 296, 623, 987, 1054, 1940
Epoxy–acrylate, 368
Epoxy-amine/oligomer, 1269
Equilibrium, 1422
Esterification, 561, 575
Ethyl acetate, 1731
Ethylene and propylene, 1583
Ethylene glycol, 648
Ethylene oxide, 439, 824
Ethylene 1-octene copolymers, 1950
Ethylene–octene copolymer, 894
Ethylene–vinyl acetate, 1741
Expanding monomers, 1715
Extrusion, 1100

Factorial design, 368
Fast transient fluorescence (FTRF), 1494
Fatigue, 457
Ferrocene, 1847
Fiber board, 1652
Fiber breakage, 457
Fiber extraction, 83
Fiber reinforced concrete, 1985
Fibers, 1725
Fibrous beds, 1171
Filled blend, 993
Filled fluorocarbon rubber, 2016
Filled polyethylene, 1228
Filler fraction, 1799
Film adhesives, 728

Films, 220
Fire retardancy, 1847
Fire-resistant polymers, 240
Flame retardants, 1257
Flexural strength, 642
Flexural toughness, 1985
Flocculant, 2093
Flow-induced birefringence, 1351
Fluorescence, 603
Fluorescence structural self-quenching effect, 19
Fluorinated polymers, 962
Fluorine containing polyetherimide, 249
Flux, 258
Fourier transform infrared (FTIR) spectroscopy, 1019, 1572
Fracture mechanism, 311
Fracture surface, 1285
Fracture toughness, 208, 763
Free radical, 516
Free radical crosslinking, 55
Free volume, 1691
Free-radical polymerization, 1564
Freezing/thawing process, 2075
Friction, 1240
Frictional surfaces, 1240
FTIR, 190
Functional MBS, 1280
Functionalized polyolefin, 1359
FWHM, 1466

Gallery polymerization, 1825
γ-Relaxation, 978
Gas separation membranes, 735
Gases, 552
Gel point, 1248
Geometric mean equation, 1831
Glass bead, 419
Glass fiber, 807, 1359
Glass fibers, 1489
Glass transition, 320, 357
Glass transition temperature, 1054
Glass transition temperatures, 1691
Glucose repression, 1767
Glutaraldehyde, 542
Graft copolymer, 170
Graft copolymerization, 282, 401, 516, 906, 1228
Graft copolymers, 326
Graft modification, 1308
Graft polymerization, 382
Grafted polyester, 350
Grafted polymers, 778
Grafting, 105, 906
Grid search, 481

Half order dependence, 524
Halide, 603
Hard and soft segments, 1602
Harmonic mean equation, 1831
HDT, 1902
Heat transfer, 1516
Hexylene glycol, 648
High impact polystyrene, 799
High molecular weight, 1558
High pressure, 1062
High refractive index, 45, 50
High selectivity, 735
High solid content, 1731
High temperature, 1062
High-performance liquid chromatography (HPLC), 938
High-speed spinning, 446
Hindered phosphite, 807
Hollow microsphere, 1324
Hollow-fiber membrane, 695
Hollow-fiber membranes, 1485
Hybrid cellulose/chitosan fibers, 1725
Hybrid material, 1825
Hybrid miniemulsion polymerization, 105
Hydrogen bonds, 509
Hydrophilic, 282, 603
Hydrophilicity, 258
Hydrophobicity, 1117
4-Hydroxybenzoic acid, 642
(2-hydroxypropyl)cellulose, 837

Imidization, 190, 1876
Immobilized heparin, 382
Immobilized rubber, 1542
Impact, 1324, 1902
Impact modification, 1074, 1480
Impact strength, 311, 1000, 1280
Incident light, 1448
Infrared spectroscopy, 1811
Inherent viscosity, 240
Injection, 266
Injection molding, 851
Insert-mold, 1777
Interaction parameter, 859
Interface, 1359, 1791
Interface properties, 1985
Interface/phase, 665
Interfacial adhesion, 1000
Interfacial shear strength, 1359
Interpenetrating polymer networks, 1141
Interpenetrating polymer networks (IPNs), 722
Iodine containing polymers, 1109
Ion exchange, 93
Ion in soft segment, 2049

Ion-exchange resin, 1109
Ionic conductivity, 12
Ionic initiator, 1129
IPN, 672
Irradiation, 75
Isocyanates, 2041
Isotactic polypropylene, 75
Isotherm, 1422
Isothermal curing kinetics, 1572

J-integral, method of essential work, 763
Jute, 684
Jute fiber, 1652

Kinetics, 1564
Konjac glucomannan, 509

Lactic acid, 1074
LaRC™ PETI-5, 190
Latex, 722
LC cellulose derivatives, 837
Least-square function, 481
Light conduit, 2098
Light scattering, 1028
Linear regression problem, 481
Liquefied curative, 743
Liquid crystalline polymer, 587, 993, 1141
Lithium complexation, 55
Loosely formed gels, 1494
Low density polyethylene, 277
Low molecular weight products, 228
Low temperature, 1558
Low temperature applications, 277
Low temperature solution polymerization, 913, 921
Low-density polyethylene, 419
Lubricating-oil additive, 1240
Lyotropic liquid crystalline, 2057
Lysozyme, 115

Macroglycol, 1596
Macroinitiator, 648
Macroporosity, 152
Marine adhesive protein, 929
Mark–Houwink (MH) parameters, 481
Mass spectrometry, 954
Masterbatch, 1367
Mathematical model, 1767
Matrix resin systems, 1715
Matrix resins, 1085
Matrix-assisted laser desorption/ionization (MALDI) mass spectrometry, 1940

Maximal theoretical degree of polymerization, 1596
Mean particle size, 1669
Mechanical, 133, 1777
Mechanical behavior, 1683
Mechanical characterization, 1197
Mechanical coupling effects, 530
Mechanical properties, 623, 894, 947, 1117, 2080
Mechanical properties and degradation, 266
Mechanical spectroscopy, 326
Mechanisms, 457
Mechano-electro-chemical behavior, 542
Melting temperature, 1902
Melting-point depression, 2068
Membrane, 125
2-Mercaptobenzothiazole, 1377, 1386
Metal chelates, 115
Metallized plastic, 1902
Metallocene, 425, 771
Metals, 93
Methacrylamide, 524
Methacrylic acid, 594
Methacrylic copolymers, 1662
Methyl methacrylate, 101, 814
Methyl methacrylate-ethylene glycol dimethacrylate, 12
Microcellular soles, 277
Microcrystalline chitosan (MCCh), 1725
Micro-emulsion, 594
Microphase separation, 2115
Microporous polyurethane elastomer, 886
Microstructure, 2115
Migration, 665
Miscibility, 509, 859, 1074, 1785, 1791, 1947
Mixed macrodiols, 2026
Mixtures, 1910
MMA/NVP, 1109
MOCA/DOP, 743
Mode I, 771
Model, 368, 1386
Model compound, 1377, 1395
Modeling, 357, 425, 2062
Modification, 208
Modified polyamide, 1997
Modulated-temperature DSC, 1791
Modulus, 1777
Molecular weight, 1762
Monomer, 524
Monomer and poly(methyl acrylate) polymer, 516
Monomers, 875
Monosized polymer particles, 152
Morphological structure, 1315
Morphology, 75, 152, 258, 282, 623, 708, 851, 1037, 1197, 1269, 1285, 1367, 1950
Multihollow structure, 38
Multiple recycling, 851

N-acryloyl-*N*′-2-pyrimidinylpiperazine, 19
Nanocomposite, 1609, 1825
Nanometric, 1857
Nanosilica, 133
Natural composites, 83
Natural fiber, 684
Natural rubber (NR), 1019, 1799
Naturally colored cotton, 1466
Necking, 446
Network crown ether, 1457
Neumann's equation, 1831
N-methacryloyl-*N*′-2-pyrimidinylpiperazine, 19
N,N′-methylenebisacrylamide, 906
N,N,N′,N′,N″-pentakis(hydroxymethyl) melamine, 824
Nonlinear optical materials, 290
Nonporous sorbents, 115
Novel correlations, 552
N-(tetrachlorophthaloyl)-L-leucine acid chloride, 240
NVP, 282
Nylon 6, 851, 1285, 2105
Nylon 6/6, 1062
N-(2-hydroxy)propyl-3-trimethyl ammonium chito-oligosaccharide chloride, 2009

o-Cresol novolac epoxy resin, 1940
Oil-modified polyurethane resin, 105
Olefin copolymerization, 1583
Olefin terpolymerization, 425
Ophthalmic lens, 45, 50
Opposed jets, 1910
Optical loss, 2098
Optical material, 45, 50
Optically active polymers, 240
Oriental lacquer, 1804
Orientation, 1746
Oscillation amplitude, 1669
Oscillation frequency, 1669
Oscillatory baffled reactor, 1669
Over-mold, 1777
Oxidation, 987
Oxide layer, 1448
Partial polymerization time, 408
Particle size, 368, 690
PC/PBT alloy, 1280
PDMS compatibilizer, 1683
Periphyton, 29
Permeability, 391
Permeability coefficients, 1691
Permeability response, 778
Permeation resistance, 1997
Permselectivity, 125
Peroxide, 1308
Peroxide monomer, 1217
Peroxomonosulphate, 524
Pervaporation, 258, 654, 787
PET film, 67
PET recycling, 266
PFA, 1
pH, 1186
Phase behavior, 1062
Phase inversion, 690
Phase separation, 1037
Phase structure, 1929
Phase transition, 837
Phase-transfer catalysis, 1564
PHBV, 1767
Phenol, 654, 695
Phenolic antioxidant, 807
Phenolic resin composites, 642
Phenylethyl groups, 1554
Phenylethynyl-terminated imide oligomer, 190
4-phenyl-1,2,4-triazoline-3,5-diones, 240
Phosphazene polymers, 954
Phosphonylation, 93, 1870
Photoinitiator, 1741
Photopolymerization, 1715
Physical crosslinking, 868
Physical-mechanical properties, 851
Piperazine, 921
Planar waveguides, 1448
Plasma etching, 258
Plasma polymerization, 1207
Plasma treatment, 1985
Plastic deformation, 1746
Plastic waste mixture, 1048
Plasticizers, 743
PMMA, 1876
P(MMA-AN)/P(EA-nBA), filling, 722
Polar substituent, 391
Poly(1,4-cyclohexamethylene terephthalate), 1947
Polyacrylamide, 1669, 1706, 1910, 2093
Polyacrylate, 368
Poly(alkylene glycol), 654

Polyamide, 921, 1010, 799
Polyamide blend, 488
Polyaniline, 845, 1503
Polyarylate (PAR), 1947
Polyblend, 170, 708
Polybutadiene, 277
Polybutylene terephthalate, 1296
Polycarbonate, 1257
Polycyclopentadiene, 635
Poly(dimethyl siloxane), 648
Poly(dimethylsiloxane), 2026
Poly(divinylbenzene), 152
Polyester, 1296, 2062
Polyesteramide, 1117
Poly(ester-urethane), 1074
Poly(ether ether ketone), 179
Polyetherester, 623
Polyetherimide, 1037
Polyetherols, 439
Polyethersulfone, 320
Polyethylene, 771, 1100, 1746, 1865, 1870
Polyethylene blend, 488
Polyethylene blends, 1151
Polyethylene fibers, 1489
Polyethylene films, 1529
Poly(ethylene glycol), 185
Poly(ethylene oxide), 648, 1627, 1910
Poly(ethylene phthalate), 208
Poly(ethylene phthalate-*co*-1,4-phenylene phthalate), 208
Polyethylene terephthalate, 401
Poly(ethylene terephthalate), 446, 648
Polyethylene terephthalate, 1296
Poly(ethylene-*co*-vinyl acetate), 1308
Polyglutarimides, 1876
Poly(HEMA-MMA), 115
Poly(hexamethylene oxide), 2026
Polyimide, 290, 1609
Polylactide, 228
Poly(L-lactide-co-ε-caprolactone), 947
Polymer gel electrolyte, 12
Polymer membranes, 954
Polymer modified bitumens, 1811
Polymer swelling, 55
Polymer waveguides, 1448
Polymer–solvent miscibility, 787
Polymeric coupling agent, 1338
Polymerizability, 19
Polymerization, 524, 1329
Polymerization mechanisms, 1715
Polymerization rate, 1186
Polymer-supported phase transfer catalyst, 408
Poly(methyl methacrylate), 38, 978, 1627
Poly(methyl methacrylate) matrix, 1489
Poly(*N*-isopropylacrylamide), 170
Polynomial ARMA Model Identification, 1889
Poly(*N*-vinyl-2-pyrrolidone), 1706
Polyolefin, 1985
Polyolefinic elastomers (POEs), 1480
Polyperoxide surfactant, 1217, 1228
Poly(phenylene sulfide ketone), 1329
Polyphosphazenes, 55
Poly(*p*-phenylene benzobisthiazole) (PBZT), 1448
Polypropylene, 93, 807, 1359, 1516, 1549, 1985, 2068
Polypropylene blends, 1151
Polypropylene copolymer, 1480
Polypropylene terephthalate, 1296
Polypropylene/elastomer/filler composites, 1929
Polysiloxanes, 1554
Polystyrene, 1100, 1746
Polysulfone, 391
Polytetrafluoroethylene, 1207
Poly(tetrafluoroethylene-*co*-hexafluoropropylene, 220
Polyurethane, 133, 654, 665, 743, 1367
Polyurethane block copolymers, 1847
Polyurethane ionomers, 2049
Polyurethane prepolymer, 1596
Polyurethanes, 2026
Poly(vinyl acetate)-based (PVAc) adhesives, 1472
Poly(vinyl alcohol), 125, 2075
Poly(vinyl chloride), 170, 868, 1857
Polyyne, 185
Poly(3-hydroxybutyrate), 475
Poly(4-vinylpyridine-*co*-*n*-butyl acrylate)microspheres, 1731
Porous, 594
Post-azo coupling, 290
Potassium hydroxide, 185
Potassium peroxomonosulphate (PMS), 1564
Potato tuber cells, 2080
Power law fluids, 1171
p-Phenylene diamine, 1315
PPO, 1141
Preblending, 1367
Preheating preblending, 1367
Preirradiation grafting, 1549
Preparation technique, 475
Prepolymer, 1602
Prepolymerization, 1590, 1596
Pressure drop, 1171
Probe of morphology, 530
Process zone, 763
Properties, 1
Property relationships, 1929
Propylene oxide, 439, 824
Protease, 594
Protection, 1324
PTFE, 296
p-trimethylsilylstyrene, 1920
PVCZ, 1558
Pyrolysis-GC, 635

Quaternary ammonium monomer, 1129
Quinone-amine polyurethane, 1338

Radiation grafted PTFE-*g*-polystyrene sulfonic acid membranes, 336
Radiation grafting, 220
Radiation-induced graft copolymerization, 1
Radio frequency glow discharge, 954
Raman spectroscopy, 1940
Rare earth ions, 1549
Reactant composition, 1572
Reaction energetics, 1715
Reaction extrusion, 1997
Reaction products, 824
Reaction temperature, 1572
Reactive viscosity enhancer, 38
Reactivity ratios, 1920
Recycling, 886, 1048
Redox polymerization, 1825
Redox system, 2105
Relaxation, 1804
Relaxation time, 2041
Remote microwave plasma, 1207
Resins, 1165
Responsive membranes, 778
Rheokinetics, 1269
Rheologic properties, 1542
Rheology, 350, 1950
Rice husk ash, 1019
Rotational diffusion coefficient, 1351
Rubber, 1554
Rubber blends, 1791
Rushton stirrer, 814

Sago starch, 516
Salicylic acid (2-hydroxybenzoic acid), 642

Scale up, 814
Scanning electron microscopy analysis, 1644
SCF, 1422
Scratch/mar resistance, 311
Seed, 594
Segmented block copolymers, 623
Segmented polyurethane, 382
Selectivity, 258
Self-consistent scheme, 530
Semiempirical calculations, 1715
Semiquantitative, 408
Sensor, 603
Separation, 125
Sequential synthetic polypeptide, 929
Shear deformation, 616
Shear modulus, 495
Shelf life, 105
Shielding effectiveness, 1902
Side chain, 290, 1619
Silica, 1609
Silicone rubber, 1554
Simulation, 814
SiO_2, 1583
Soap-free emulsion polymerization, 1731
Sodium salicylate, 642
Sol–gel process, 1609
Solid organic acids, 616
Solid organic anhydrides, 616
Solubility, 305, 552
Solubility coefficients, 1691
Solution, 1857, 2068
Solutions, 1910
Solvent accessible surface areas (SASA), 552
Solvent effect in the miscibility, 1627
Solvent extraction, 105
Solvents, 938
Sonochemistry, 101
Sorption, 67, 391, 475
Spherulite, 1151
Spherulites, 1516
Spinodal decomposition, 1028
Spontaneous polymerization, 875
Stable water in oil in water emulsion droplet, 38
Starch, 1767, 2080
State-of-mix, 1542
Steady stress–strain state, 978
Steam stabilization, 1652
Steel, 1338
Stone protection, 962
Storage effects, 947
Strain, 1777
Strain hardening, 446
Strain rate, 978
Strain-rate sensitivity, 446
Stress, 1777
Structure, 75
Structure factor, 1028
Styrene, 1, 101, 220, 814, 1129, 1186, 1572, 1889
Styrene–*N*-phenylmaleimide copolymers, 1093
Succinic anhydride, 561
Sulfonated phenolic resin, 1762
Sulfonated poly(phenylene oxide), 690, 735
Sulfonation, 787, 1865
Sulfur, 987, 1405, 1413
Sulfur-containing alicyclic methacrylate, 45
Supercritical fluid extraction (SFE), 938
Supported Ziegler–Natta catalyst, 1583
Surface, 1422
Surface activation, 1865, 1870
Surface changes, 1529
Surface crosslinking, 1741
Surface energy, 1207, 1831
Surface fluorination, 296
Surface modification, 401, 1207
Surface morphology, 1920
Surface-enriched, 408
Suspension, 594
Suspension polymerization, 814
Swelling, 1494, 1637, 2075
Swelling degree, 672
Syntactic foam, 1324
Synthesis, 2026
Synthesis conditions, 1590

Technical properties, 277
Telechelic polybutadiene, 665
Template synthesis, 1825
TEMPO end groups, 1093
Tencel, 1644
Tensile, 1902
Tensile behavior, 1489
Tensile properties, 1151
Tertiary amide polymers, 1785
Tetrabutyl phosphonium chloride (TBPC), 1564
Tetraethoxysilane, 1207
Tetraethylammonium tetrafluoroborate, 12
TG-DTA, 67
Thermal aging, 987
Thermal analysis, 326, 1920
Thermal behavior, 1683
Thermal characterization, 1197
Thermal conductivity, 1799
Thermal degradation, 635
Thermal diffusivity, 1799
Thermal imidization, 249
Thermal properties, 1037, 1329
Thermal treatment, 1151
Thermally induced phase separation, 1028
Thermally stable, 1619
Thermally stimulated currents, 320
Thermoplastic composite, 684
Thermoplastic elastomer, 623, 763, 868
Thermoplastic polyolefin, 311
Thermoplastic polyurethane elastomers, 1590, 1596, 1602
Thermoplastic starch, 1117
Thermoplasticization, 561, 575
Thermoset, 495
Thermoset/thermoplastic blend, 530
Thermosetting resins, 1165
Thermostabilizers, 807
Thermotropic mesomorphism, 837
Thickness swelling, 1652
Thin film composite membranes, 735
Thin films, 771
Toughening, 311, 623, 1285
Toughness, 1011
TPUs properties control, 1602
Transfer film, 179
Transient plane source (TPS) technique, 1799
Transport, 125
Triazine, 1619
Trichloroethane, 185
Triethyl phosphate, 886
Triethylene glycol dimethacrylate, 594
Trimethylsilyl group, 391
Tris(2-chloroethyl) phosphate, 886
Trithiocyanuric acid, 439
TSC/RMA, 743
Twin screw extruder, 708
Two-phase carbonization, 1510

UL-94 V-0, 1257
Ultimate properties, 1269
Ultrasound, 101, 524
Urethane acrylate, 38
Urethane acrylate anionomer, 2115

Van der Waals surface areas (WAS), 552
VCZ, 1558
Vermiculite, 1825

Vinyl acetate-divinyl adipate, 12
Vinyl nester resins, 1572
Vinyl silane, 1308
Vinyl–ester monomer, 1572
Viscoelastic, 2062
Viscoelastic properties, 495
Viscosity, 335, 350, 2041, 2068
Viscosity ratio, 1997
Vitamin B_{12}, 1706
Vulcanization, 1367, 1377, 1386, 1395, 1413

Water, 475
Water absorption, 1652, 2080
Water disinfection, 1109
Water purification, 1109
Water soluble sensitizers, 19
Water sorption, 1315
Water tolerance, 787
Water vapor, 67
Waterborne coatings, 105
Water-borne emulsion, 690
Water-repellet coating, 962
Water-soluble C_{60}, 19
Wear, 1240
Wear resistance, 179
Weight loss, 29
Whiskers, 993
Wood fiber/polypropylene composite, 1000
Wood materials, 1472
Workability, 1762

XPS, 296, 542
XPS studies, 336
X-ray diffraction, 1466
X-ray diffraction analysis, 1644

Yarns, 2062

Ziegler–Natta and metallocene catalysts, 1950
ZnO, 1405